

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☒GAS  
WELL ☐OTHER ☐SINGLE  
ZONE ☐MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

Phillips Oil Company

## 3. ADDRESS OF OPERATOR

P. O. Box 2920 Casper, Wyoming 82602

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*

At surface 660' FNL, 660' FWL (NW NW)

At proposed prod. zone  
same

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

Approximately 4 miles south of Montezuma Creek, Utah

## 15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST 660' east of Ratherford

PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any) Unit lease line 2180 Acres

## 18. DISTANCE FROM PROPOSED LOCATION\*

TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT. #20-41 1320' East of

## 19. PROPOSED DEPTH

5700'

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40 Acres

## 20. ROTARY OR CABLE TOOLS

Rotary

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4736' ungraded ground

## 22. APPROX. DATE WORK WILL START\*

Third Quarter 1984

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8"	48#	100'	150 sx (circ to surface)
12-1/4"	9-5/8"	36#	1600'	800 sx (circ to surface)
8-1/2"	7"	23#, & 26#	5700'	1000 sx est. (T.O.C. approx. 2,000')

Approval is requested to drill Ratherford Unit #21-11, a Desert Creek Development oil well, to increase the ultimate recovery from the Ratherford Unit.

BOP equipment will be operated daily and tested weekly.

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING  
DATE: 7/27/84  
BY: John R. Boye

RECEIVED

JUL 26 1984

DIVISION OF OIL  
GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

A. E. Stuart

TITLE

Area Manager

DATE

July 16, 1984

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

5-BLM Farmington, NM

2- Utah O&amp;GCC-SLC, Utah

1-LeRoy Williamson (r) T.C. Doughty

1-G.W. Berk

1-J.R. Weichbrodt

1-File

See Instructions On Reverse Side

1-Chevron -Denver

1-Superior-Denver

1-Texaco-Denver

Form 9-331C &amp; Location Plat Only-

B. Conner, R.M. Coffelt, P.J. Adams

COMPANY PHILLIPS OIL COMPANY


LEASE RATHERFORD UNIT WELL NO. 21-11

SEC. 21, T. 41S, R. 24E

San Juan County, Utah

LOCATION 660'FNL 660'FWL


ELEVATION 4736 ungraded ground



SCALE—4 INCHES EQUALS 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTE OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SEAL:



SURVEYED May 15 1984

FARMINGTON, N. M.

RATHERFORD UNIT #21-11

Supplement to Form 9-331C "Application for permit to Drill, Deepen, or Plug Back."

DRILLING PROGRAM

1. Surface formation is the Dune Sand, which consists of loose windblown sand, age-recent.

Estimated tops of geologic markers:

Chinle . . . . .	1475'
Shinarump . . . . .	2310'
DeChelly . . . . .	2600'
Hermosa . . . . .	4535'
Desert Creek Zone I . . . . .	5525'

2. Brackish water-bearing sands are expected in the Navajo, Wingate, and DeChelly formations. Oil is expected to be encountered in the Ismay and Desert Creek formations. The top of cement will be approximately at 2000'.
3. Blow-out preventers will be 10" Series 900 equipment to be tested initially to 3000 psi. They will be inspected and operated daily and pressure tested weekly to 1500 psi. Weekly pressure tests will be supervised by representatives of Phillips Oil Company and the drilling contractor. Tests will be recorded on the daily drilling report which will remain on the rig floor during drilling operations. BOP tests will be conducted in accordance with Phillips standards, copy attached.

4. a. Proposed Casing Program:

1. Conductor casing:

100'	13-3/8"	48#/ft	H-40	ST&C	new
------	---------	--------	------	------	-----

2. Surface casing:

1600'	9-5/8"	36#/ft	K-55	ST&C	new
-------	--------	--------	------	------	-----

Surface casing will be tested to 1500# before drilling out.

3. Production casing:

5700'	7"	23# & 26#/ft	K-55	ST&C	new
-------	----	--------------	------	------	-----

Production casing will be tested to 3000#.

b. Proposed Cementing Program:

1. Conductor Casing:

Conductor casing will be cemented with 150 sks Class B cement. Cement will be brought to surface.

2. Surface Casing:

Surface casing will be cemented with 400 sks "light" cement followed with 400 sks Class B cement. Cement will be brought to surface.

3. Production casing:

Production casing will be cemented with "light" cement followed with Class B cement. For cement volume, caliper will be used with 15% excess. The top of the cement should be around 2000'. If other zones with hydrocarbon potential are encountered, they will be covered with cement.

c. Auxiliary Equipment:

Auxiliary equipment will include upper and lower kelly cocks, a drill string safety valve, and a pit level indicator.

5. Drilling Fluid:

Drilling fluid will be a fresh water based mud system. Spud mud is gel and water with a weight of 8.4-8.8 ppg. From the surface to approximately 1600', gel and water will be used. Mud weight may be up to 9 ppg to control water flow from the Wingate formation. A slurry of 8.6-9.5 ppg, 32-38 viscosity, and less than 15cc/30 min. water loss will be used from 1600'-5200'. Mud weight may be increased to 10.4 ppg if a water flow is encountered. From 5200' to total depth mud properties will be 10.5-12.5 ppg, 40-45 viscosity, and below 10 cc water loss.

Adequate quantities of mud materials will be stored at the location to equal the volume of the rigs complete circulating system. A flow sensor will be used.

6. Testing, logging, and coring:

The logging program will consist of DILL from T.D. to the surface casing, and a FDC/CNL with G.R. and caliper from T.D. to 4300'. The caliper will be pulled to surface casing. A temperature or cement bond log will be run to determine cement top. No coring or drill stem tests are planned.

7. Downhole Conditions:

Drilling in the area indicates no abnormal pressures, temperatures, or hydrogen sulfide gas.

8. Phillips anticipates starting operations in the Third Quarter of 1984. Drilling operations are estimated to take fifteen days per well.

#### CULTURAL RESOURCE REPORT

San Juan College has prepared a cultural resource inventory of the subject wellsite. A copy of the report has been sent to the BLM Farmington office. Pertinent information regarding the subject well is attached.

#### SURFACE USE PROGRAM

1. Existing Roads

- a. Access to existing lease roads is approximately 4 miles south of Montezuma Creek, Utah.
- b. The existing roads will be maintained in the same or better condition.
- c. Refer to the attached access road map for road information.

2. Access Roads

Planned access roads are shown on the attached map.

3. Location of Existing Wells.

Locations of existing wells are shown on the attached maps.

4. Production from the proposed well will be piped to Ratherford Unit Tank Battery #1, located in the SW SW Sec. 16-T41S-R24E San Juan County, Utah. The flowline will be visible from the existing lease roads. A plat of the proposed leadline is attached.

5. Water Supply

- a. The source of water to drill the subject well is from the River Booster, NE/4 Sec. 5., or from the Water Injection Plant, SE/4 Sec. 17 in T41S-R24E, San Juan County, Utah.
- b. The drilling water will be trucked from the water source to the subject well.
- c. A water supply well will not be drilled on the lease.

6. Construction Materials

- a. Only native soils will be used for construction of wellsite and the access road.

- b. Pit run rock will be used on the wellsite and access road when needed.
- c. The above materials are owned by the Navajo Tribe.

#### 7. Waste Disposal

- a. Cuttings: Cuttings will be contained in a fenced unlined reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- b. Drilling Fluid: Drilling fluid will be contained in a fenced unlined reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- c. Garbage/Trash: All garbage and trash will be put in the burn pit. The burn pit will be fenced on four sides. After the burn pit is no longer in use, the trash and garbage will be covered with a minimum of 4 feet of fill.
- d. Salt: No salts are anticipated on this well. If salt is present, it will be disposed of in the reserve pit.
- e. Chemicals: Chemicals will be disposed of in the reserve pit.
- f. Sewage: Dry chemical toilets will be used.

#### 8. Ancillary Facilities

No ancillary facilities are required.

#### 9. Well Site Layout.

- a. Refer to attached Rig Layout plat
- b. There are no plans to line the reserve pit unless porous soil materials are encountered during construction.

#### 10. Surface Reclamation Plans

- a. Construction Program: The top 10 inches of topsoil will be removed and stockpiled. A cross section of the drill site showing cuts and fills is attached.
- b. Well Abandonment: All disturbed areas will be shaped to the natural topography. The topsoil will be distributed evenly over the area and seeded in accordance with BLM requirements.
- c. Producing Well: Those areas not needed for production purposes will be recontoured to the surrounding topography. The topsoil will be distributed evenly over those areas not needed for production. Seeding will be in accordance with BLM requirements.

d. Pipelines and flowlines: Flowlines will be above ground and follow existing roads.

e. Rehabilitation will begin as soon as possible, considering weather and other factors, and proceed per recommendation of the BLM. The reserve pit will be reclaimed once it dries.

11. Surface Ownership: The wellsite location, access road and leadline are on the Navajo Indian Reservation. No dwellings are in the proposed drilling area.

12. Other information:

The reserve pit will be fenced on three sides during drilling and on the fourth side after the rig is moved out.


13. Operator's Representative and Certification.

a. Field Representative:

A. E. Stuart  
P. O. Box 2920  
Casper, Wyoming 82602  
307-237-3791


I hereby certify that I or persons under my direct supervision have inspected the proposed drill site and access route; and I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with operations proposed herein will be performed by Phillips Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

Date July 20, 1984


  
A. E. Stuart  
Area Manager

BJM/fb (18)  
Casper - RC

Profile for  
 PHILLIPS OIL COMPANY #21-11 RATHERFORD UNIT  
 660'FNL 660'FWL Sec. 21-T4LS-R24E  
 SAN JUAN COUNTY, UTAH



Scale: 1"=50'



B' 125'


A-A'	Vert: 1"=30'	Horiz: 1"=100'	C-L
4740			
4730			
4720			

B-B'	C-L
4740	
4730	
4720	



# WHITE MESA VILLAGE QUADRANGLE UTAH 15 MINUTE SERIES (TOPOGRAPHIC)

CAJON MESA




Vicinity Map for  
PHILLIPS OIL COMPANY #21-11 RATHERFORD UNIT  
660'FNL 660'FWL Sec. 21-T41S-R24E  
SAN JUAN COUNTY, UTAH

N

RATHER BRO UNIT #21-11


NW NW SEC. 21 T41S-R24E






1. RESERVE PIT
2. TRASH PIT
3. CIR. PITS & PUMP
4. RIG
5. CAT WALK & PIPE RACKS
6. TRAILERS



### DRILLING RIG LAYOUT


OUTLINE OF LOCATION APPROXIMATELY 300' x 350'  
NOT TO SCALE.




NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	<b>PHILLIPS PETROLEUM COMPANY</b>  			JA NO.	FILE CODE
FOR APPR	BARTLESVILLE, OKLAHOMA			AFE NO.	SCALE 2.2"=1mi
FOR CONST	<b>RATHERFORD UNIT WELL 21-11</b> <b>INJECTION LINES</b> NW NW SEC. 21 T41S-R24E SAN JUAN CO., UTAH			DWG NO.	
DRAWN 7-6-84 BJM				SH NO.	
CHECKED					
APP'D					



NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <b>PHILLIPS PETROLEUM COMPANY</b>              BARTLESVILLE, OKLAHOMA           </div> <div style="text-align: center;">  </div> </div>			JA NO.	FILE CODE
FOR APPR				AFE NO.	SCALE 22' = 1" 1/2
FOR CONST					
DRAWN 3-13-84 BJM		RATHERFORD UNIT WELL 21-11 PROPOSED NW NW SEC 21 T41S-R24E SAN JUAN CO., UTAH		DWG NO.	
CHECKED				SH NO.	
APP'D					



1 Relocation of proposed road		BSM	7-6-81		
NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS		PHILLIPS PETROLEUM COMPANY		JA NO.	FILE CODE
FOR APPR		BARTLESVILLE, OKLAHOMA		AFE NO.	SCALE
FOR CONST		RATHERFORD UNIT WELL 21-11		2.2" = 1 mi	
DRAWN 3-13-84 BSM		PROPOSED ROAD PLAT		DWG NO.	
CHECKED		NW NW SEC 21 T41S-R24E		SH NO.	
APP'D		SAN JUAN CO., UTAH			



1 Relocation of leadline		BJM	7-6-84		
NO.	REVISION	BY	DATE	CHKD	APP'D
FOR BIDS		PHILLIPS PETROLEUM COMPANY		JA NO.	FILE CODE
FOR APPR		BARTLESVILLE, OKLAHOMA		AFE NO.	SCALE
FOR CONST		RATHERFORD UNIT WELL 21-11		2.2" = 1 MI	
DRAWN 3-13-84 BJM		NW NW SEC 21 T41S-R24E		DWG NO.	
CHECKED		SAN JUAN CO., UTAH		SH NO.	
APP'D					




Figure 7-10. Standard Hydraulic Blowout Preventer Assembly  
(2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4  
January/83

PHILLIPS PETROLEUM COMPANY



Page 251  
Section II

7.6 Testing Surface Blowout Preventer Equipment

7.6.1 Pressure Test Frequency

All rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves shall be pressure tested at the following frequencies:

- (1) Initial installation of blowout preventers.
- (2) After setting casing, before drilling cement.
- (3) Every 7 days or on first trip out of hole after 7 days since previous pressure test.
- (4) After any component of the blowout preventer assembly is disturbed, replaced or repaired (this includes lines, valves, or choke manifold). In this case, the component changed may be the only component tested.
- (5) Prior to conducting first drill stem test in a series of one or more DST's.
- (6) Any time the Phillips Wellsite Supervisor deems necessary, such as prior to drilling into suspected high pressure zones.



### 7.6.2 Function Test Frequency

All rams, annulars, valves, and other items specified below, shall be function tested at the following frequencies.

- (1) On initial installation from driller control and remote panel.
- (2) Each trip out of hole alternating between driller's and remote control panel but not more than once every twenty-four (24) hours. Close pipe rams or annular preventer ONLY on drill pipe.

### 7.6.3 Test Pressures

Use the following table to identify which test is appropriate and at what pressure.

TEST	DESCRIPTION
Low Pressure	Test to 200-300 psi prior to each high pressure test.
Initial Installation	<p>Test all rams, annulars, valves, choke manifold, kelly cocks, and safety valves to the lesser of the following pressures.</p> <ul style="list-style-type: none"> <li>. Rated working pressure of the component in the blowout preventer assembly with the exception of annular preventer which is to be tested to 70% of the rated working pressure.</li> <li>. The API rated casing burst pressure of the last casing to be utilized in the well with the BOP assembly being tested.</li> <li>. Rated working pressure of the casing head.</li> <li>. If "Cup Tester" is used do not exceed 80% of the API rated burst pressure of the casing.</li> </ul>
Repair	Repaired or replaced components are to be tested to the same pressures used in the Initial Test.

7.6.3, cont'd

TEST	DESCRIPTION
Weekly and After Setting Casing	<p>Test all rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves, to the lesser of the following pressures.</p> <ul style="list-style-type: none"> <li>. 50% of the rated working pressure of the component to be tested.</li> <li>. 80% of the API rating of the casing burst pressure then in the well.</li> <li>. Test blind rams during internal casing pressure test. (Refer to drilling program for test pressures).</li> </ul>
DST Operations	<p>Test all pipe rams, annular preventers, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves to the maximum anticipated surface pressure expected while conducting drill stem tests. Do not test annular to more than 70% of its working pressure.</p>
Shallow Casing	<p>Where cased hole is less than 2000 feet measured depth, the test pressure may be 1.5 psi per foot of casing depth, not to exceed 80% of the API rated burst pressure. In the case of shallow conductor casing or drive pipe (500 feet or less) that is equipped with one BOP, then the test pressures do not need to exceed 1.0 psi per foot of casing depth.</p>
Accumulator	<p>Test accumulator to the manufacturer's rated working pressure. Test the accumulator for time to pump up to specifications.</p>

7.6.4 Blowout Preventer Test Practices

- (1) All pressure tests shall be witnessed by Phillips' Representative and the Contractor's Senior Supervisor on Location. All tests shall be recorded on the Phillips' Daily Drilling Report, the IADC Report and the BOP Test Form; see Figure 7-13. A reproducible copy of the BOP Test Form (Figure 7-13) can be found in Section III.

7.6.4, cont'd

- (2) Hold all low pressure tests for three minutes and high pressure tests for five minutes or until Phillips Representative and the Contractor's Senior Supervisor are satisfied no leaks exist.
- (3) A detail procedure for the testing of blowout preventer and choke manifold equipment will be included in the drilling programs. The procedure is to be distributed for each drilling unit under contract by the operating office. Each operating office must include the following practices:
  - a. Prior to testing, all lines and valves will be thoroughly flushed to ensure the system is clear. Test all opening and closing control lines to 1500 psi and inspect for leaks.
  - b. If necessary, run a stand of drill collars below the test plug to prevent unseating the test tool during testing.
  - c. All precautions must be taken to avoid pressuring the casing below the test tool.
  - d. The running string is to be full of water (or antifreeze solution) for immediate indication of test tool leakage.
  - e. All pipe rams, blind/shear rams, blind rams, annular preventers, valves, fail-safe valves, choke and kill lines are to be tested at the frequencies and pressures outlined in this section.
  - f. Drill pipe safety valve, lower and upper kelly cocks are to be tested from below at pressures and frequencies outlined in this section.
  - g. All test fluids are to be bled back to the pump unit in safe manner.

7.6.5 Testing Wellhead Pack-offs

The wellhead pack-off is to be pressure tested upon installation for five minutes. Test pressure is to be 80% API rated casing collapse or the rated working pressure of the casing head whichever is the lesser. Casing annulus valve(s) must be in open position to prevent casing collapse during pack-off testing.

When testing the wellhead pack-off, use recorded test pressures and volumes to determine if pack-off is leaking. Pressure should be immediately released at the first indication of a leak.

#### 7.6.6 Safety Precautions

One pumping unit operator is to be stationed at the high pressure pumping unit, and is to remain at this station until all testing has been completed. The pump unit operator is to be in continuous communication with the person who is recording the test data. The Phillips Wellsite Supervisor and Contractor's Senior Supervisor on location will be the only personnel who will go into the test area to inspect for leaks when the equipment involved is under pressure. The rig crews are to stay clear of the area until such time that both the Phillips Wellsite Supervisor and the Contractor's Senior Supervisor have contacted the pumping unit operator and all three have agreed that all pressure has been released, and there is no possibility of pressure being trapped. The rig crews may then go into the area to repair leaks or work as directed.

All lines, swings, and connections that are used in the testing of the blowout preventers are to be adequately secured in place.

Pressure is to be released only through the pressure release lines that are vented back into the pump unit tanks. The lines are to be clamped down to direct the flow into unit tanks.

# **Cultural Resources Management Program**

---

**San Juan College**

**Archaeological Surveys of  
Thirteen Proposed Well Locations and  
Associated Flow Lines and Access Routes  
in San Juan County, Utah,  
Conducted for Phillips Petroleum**



**Report 84-SJC-071A**

**Federal Antiquities Permit 83-AZ/NM/UT-047 and  
Navajo Nation Antiquities Permit #1984-4**

**June 6, 1984**

**Ratherford Unit:**

**17-13**

**17-24**

**18-44**

**19-22**

**19-31**

**19-33**

**Satellite Gathering Expansion**

**20-11**

**20-31**

**20-42**


**21-11**

**21-24**

**29-11**

**29-22**

**A Cultural Resources Inventory Prepared by Kristin Langenfeld and L.  
Jean Hooton, Archaeologists, Under the Supervision of Dr. Richard P.  
Watson, Director, Cultural Resources Management Program, San Juan  
College, Farmington, New Mexico**



## ABSTRACT

On May 21, 22 and 23, 1984 a Class III Archaeological Survey was conducted south of Montezuma Creek, San Juan County, Utah, on lands to be used for nineteen proposed well locations, associated flow lines and access routes and one satellite station expansion. A total of eight archaeological sites and eleven isolated occurrences were located during the inspections. This report details the results of archaeological surveys on thirteen of the proposed locations, access and flow line routes and the satellite station expansion. Approximately 36 hectares (90 acres) in Sections 17, 18, 19, 20, 21 and 29, T. 41 S., R. 24 E. were inspected for cultural resources in conjunction with the project areas described in this report. A total of six isolated occurrences were located. These isolates do not appear to represent surface indications of subsurface cultural deposits and archaeological clearance is recommended for the project areas described in this report. The remaining six proposed locations, access routes and flow lines and associated cultural resources will be detailed in a report to be sent under separate cover.

The work was conducted by the:

Cultural Resources Management Program  
San Juan College  
4601 College Blvd.  
Farmington, NM 87401-4699  
Phone: 505/326-3311, Extension 344

The work was conducted under:

Federal Antiquities Permit 83-AZ/NM/UT-047 and  
Navajo Nation Antiquities Permit #1984-4

The work was conducted for:

Phillips Petroleum Company



## TABLE OF CONTENTS

ABSTRACT	1.
LIST OF FIGURES	111.
INTRODUCTION	1.
PHYSIOGRAPHY AND ENVIRONMENT	3.
RECORDS SEARCH	10.
PROJECT LOCATIONS	13.
SUMMARY	37.
TABLE 1: Summary of Isolated Occurrences	38.
BIBLIOGRAPHY	39.

## LIST OF FIGURES

FIGURE 1: General Location of Project Area	4.
FIGURE 2: Project Area Showing Proposed Well Locations	5.
FIGURE 3: Vicinity Map Showing Locations of Nearby Sites (FOR B.I.A. ARCHAEOLOGIST ONLY)	12a.
FIGURE 4: Project Locations - Section 17	15.
FIGURE 5: Project Locations - Section 18	18.
FIGURE 6: Project Locations - Section 19	24.
FIGURE 7: Project Locations - Section 20	29.
FIGURE 8: Project Locations - Section 21	33.
FIGURE 9: Project Locations - Section 29	36.

## INTRODUCTION

On May 21, 22 and 23, 1984 Kristin Langenfeld and L. Jean Hooton, from the Cultural Resources Management Program, San Juan College, conducted a Class III Archaeological Survey for Phillips Petroleum Company. The survey was conducted under Federal Antiquities Permit 83-AZ/NM/UT-047 and Navajo Nation Antiquities Permit #1984-4 on lands owned by the Navajo Nation. Mr. Max Isaacs, of Phillips Petroleum, accompanied the archaeologists during the inspection.

### Nature of Proposed Land Modifications:

Land modifications proposed by Phillips Petroleum for the Rutherford Unit include the construction of well locations and, in some cases, access routes. These activities will constitute the major mechanical disturbances in the area. In addition, aboveground flow lines connecting each well with a local gathering station will be laid. These lines usually parallel either existing or proposed roads and will be laid from the road. Mechanical disturbance connected with flow lines will be minimal. Access routes, where required, will either follow existing two-tracks or run cross-country. In a few cases existing, bladed roads will be modified to accommodate drill rigs. Well locations will be 350' x 350' (107 m. x 107 m.) including pits. Access routes will be 30' (10 m.) in width and flow lines will require a 10-foot-wide (3-meter) corridor. Combined flow lines and access routes will require a 40-foot (12-meter) right-of-way.

### Methodology:

A series of parallel transects spaced 10 meters to 15 meters apart was used to survey a 450-foot x 450-foot (137-meter x 137-meter) area for each well location. This includes a buffer zone of 50 feet (15 meters) around the perimeter of the project area.

Zigzag transects were used to survey 25-foot-wide (7.6-meter) flow line corridors. This includes a buffer zone of 7.5 feet (2.3 meters) on each side of the right-of-way. Zigzag transects were used to survey 75-foot-wide (23-meter) access or combined access and flow line routes. This includes a buffer zone of between 17.5 feet (5 meters) and 23 feet (7 meters) on each side of the right-of-way.

During the inspection the presence of recent trash, recent features and existing disturbances within individual project areas were noted. Isolates were mapped relative to a known point using a Brunton compass and pacing. Locations of isolates were plotted on maps provided by Phillips Petroleum. When isolates were encountered, an area with a radius of at least 25 feet (8 meters) around the isolate was closely inspected for features and additional artifacts.

In report preparation UTM Coordinates were plotted from the USGS White Mesa Village, Utah, 15-Minute Quadrangle (Figure 2). Legal descriptions were made using maps enlarged from the 15-Minute Quadrangle (Figures 4-9). The project area is on unplatted land, therefore, some discrepancies occur between the two map scales.

## PHYSIOGRAPHY AND ENVIRONMENT

The project locations are confined to an area 3.2 kilometers by 4 kilometers (2 miles by 2.5 miles) located approximately 8 kilometers (5 miles) south of Montezuma Creek, San Juan County, Utah. The area is bordered on the north by Flat Top Mesa and on the south by White Mountain Mesa. Blue Hogan Wash and Sahgzie Creek delineate the western and eastern boundaries, respectively (see Figures 1 and 2). Several zones, differing in soils, vegetation, topography, terrain and elevation, are represented within the survey area. The major characteristics of these zones are outlined below.

### Zone A - Mesa Slopes:


This zone is confined to the northern slopes of White Mesa Mountain. Terrain is broken and eroded with a slope of up to 32%. Soils are poorly developed and include locally sandy, shallow soils on narrow benches and clayey soils with bentonite deposits in badland formations. Sandstone outcrops and exposed bedrock sandstone are common. Surface deposits include lag gravels and numerous sandstone spalls. Numerous arroyos dissect the slopes. Vegetation is generally sparse and includes rabbitbrush, shadscale, Russian thistle and prickly pear cactus. Ground cover ranges from 0% to 20%. Maximum elevation is approximately 1,570 meters (5,150 feet)

### Zone B - Badland Formations:

This zone includes erosional remnants of both sandstone capped badland hills and somewhat more extensive low mesa shaped remnants. These formations are characterized by steep slopes frequently dissected

R 23E

R 24E



T 41S

T 42S

unsurveyed lands  
WHITE MESA VILLAGE, UTAH  
N3700-W10915/15

1962

AMS 4158 III-SERIES V797

FIGURE 1

Report 84-SJC-071A



by arroyos. Soils are generally clayey, shallow and poorly developed with localized bentonitic clay deposits common. In many areas broken, platy shale is exposed. Vegetation is generally quite sparse and limited to scattered snakeweed and grasses. Ground cover ranges from 0% to 20%. In general, the badland formations characterized by Zone B are similar to Zone A except that they are generally lower in elevation, averaging 1,433 meters (4,700 feet), and contain areas with shaley outcrops.

#### Zone C - Stabilized and Semistabilized Dunes:

This zone characterizes the majority of the project locations. Dunes are found in a variety of topographic situations including ridges, arroyo bottoms and mesa tops and slopes. In some areas they are found on or adjacent to badland formations. Terrain ranges from level to rolling and gently rolling with blown-out areas common. In some instances the blowouts have acted as seasonal catchments, as evidenced by surface clay deposits left behind as water evaporates or filters down. Soils within the dunal deposits are sandy to very sandy loams and are generally reddish-brown in color. The deposits range from shallow, where old blowouts have exposed bedrock sandstone or shale, to quite deep. Entrenched arroyos through dunal deposits were noted to exceed 3 meters in depth in some places. Vegetation is of the desertscrub community and includes blackbrush, sagebrush, shadscale, ephedra, rabbitbrush, snakeweed, echinocereus, narrowleaf yucca, prickly pear cactus and Russian thistle. A wide variety of grasses and annuals is also represented and includes grama, galleta, ricegrass, needle & thread, ring muhly, six-weeks fescue, brome, dropseed, crested



wheat, alkali sacaton, globemallow, white asters and lupine. Not all species are represented in all areas and additional unidentified shrubs and grasses are present. Ground cover varies greatly from as little as 10% to as much as 80%. In general, elevations range between 1,425 to 1,479 meters (4,675 to 4,850 feet).

#### Zone D - Active Dunes:

This zone includes those dunal deposits which are unstable and shifting. Topographic context is the same as for Zone C and active dunes are frequently associated with stabilized dunes. These dunes are long and rounded. Blowouts are common and the white sand of the active dunes displays characteristic wave patterns. The depth of the deposits is variable as with the stabilized and semistabilized dunes. Vegetation is limited to sparse, scattered grasses and low shrubs. Elevations are the same as for Zone C.

#### Discussion of Zones:

Owing to one or more factors (including terrain, slope and lack of developed soils), neither Zone A nor Zone B is an area likely to contain cultural materials. Project areas located in these zones represent less than 15% of the total locations described in this report. With the exception of recent trash, no cultural materials were located in these zones.

The remaining 86% of the project areas are located in Zone C (13 locations), or in a combination of Zones C and D (one location). As indicated in the preceding description of the stabilized and semistabilized dunal deposits, these areas are all remarkably similar in terms of soils and terrain. They differ primarily in terms of

topographic setting, direction of slope and degree to which they have been dissected by erosion. The areas represented by Zone C are considered most likely to contain subsurface in-situ cultural materials. Over 60% of the archaeological sites (to be detailed in Report 84-SJC-071B) and the overwhelming majority of isolates were located in stabilized and semistabilized dune situations. The possibility of subsurface cultural remains with no surface indications in the deposits is acknowledged as quite real.

No project locations were located completely within the active dunes described as Zone D. Active dunes were encountered on portions of two of the project areas described in this report. Potential for cultural materials, with or without surface indications, within these deposits is also considered to be high. Both sites and isolates were located in Zone D. The major distinction between Zones C and D, in terms of cultural resources, is the likelihood that materials in Zone D are likely to be encountered only in blowouts and are much more likely to be out of context.

#### Water Sources:

Within the project area water sources are generally limited to seasonally running washes - the largest of which are Blue Hogan Wash and Sahgzie Creek. The San Juan River is located approximately 3.2 kilometers (2 miles) northeast of the most easterly portions of the project area. Only one permanent water source, a spring in the southern half of Section 18, is shown on USGS maps. The presence of tamarisk in the southern portion of Section 21 along an east trending feeder of Sahgzie Creek suggests the existence of either an underground

water source or seasonally accumulating water. An earthen dam of relatively recent construction (now broken) is located on Blue Hogan Wash in the NW 1/4 of Section 19 and provided a relatively large catchment area. Tamarisk is present below the dam although no water was present at the time of the survey. In addition, as noted earlier, some catchments seasonally hold small amounts of water. A windmill in the SW 1/4 of Section 24, T. 41 S., R. 23 E., just west of the project area, and a flowing well in the NW 1/4 of Section 12, T. 41 S., R. 23 E., just west of the project area, are also used by local inhabitants for watering livestock. A few isolated, seasonal springs or seeps are reported in the area, however, their locations are not known.

#### Fauna:

Little wildlife was seen within the project area during the archaeological inspection. Lizards were seen frequently and one cottontail rabbit was observed. Large and small rodent burrows were noted and coyote were heard during the survey of the slopes of White Mesa Mountain. According to Mr. Isaacs, hawks are also frequently seen in the vicinity of White Mesa Mountain.

#### Present Day Land Use:

The project area is located in the heart of the Aneth Oil Field where extensive development related to energy exploration and production over the past 20 years has occurred. Well locations dot the area and numerous roads, powerlines, above and below ground pipelines and oil field camps are a direct result of this development.

The area is also used extensively by local Navajo families. Occupied and unoccupied houses and hogans occur frequently throughout

the project area. Although no interviews were conducted with customary land users due, in part, to the fragility of relations between oil companies and local Navajos, it was noted that the area is intensively utilized for grazing activities. Moreover, both functional sweat houses and the remains of sweat houses attest to the use of the area in ritual activity. In the absence of interviews it is impossible to know whether sacred areas or graves are present within the project area. Nothing resembling grave sites was noted during the inspection of individual project locations.

#### RECORDS SEARCH

Prior to the initiation of fieldwork a records search was conducted using information available at the Cultural Resources Management Program, San Juan College, and the Navajo Nation Cultural Resource Management Program, Farmington Office, as well as through phone contact with both the Navajo Nation Cultural Resource Management Program, Window Rock and several local contract archaeology firms.

Numerous large and small archaeological surveys and excavations have been conducted in southeastern Utah. The majority of those projects have been located north of the San Juan River to the north, northeast and northwest of the project area. Projects have been related to both large parcel inventory surveys (see for example Fike and Lindsay, 1976) and energy and economic development (see for example Hewett, Powers and Kemrer, 1979; Berge, 1975; Langenfeld, 1982 and Reed, 1983). Sites dating from the Archaic Period through recent Historic Period have been documented.

Within the project area itself few sites have been documented. According to a contact at Phillips Petroleum, previous archaeological surveys in the Phillips Field had been conducted by Complete Archaeological Service Associates of Cortez. Only one site has been recorded by C.A.S.A., and it is a lithic scatter with diagnostic tools dated to the San Jose Phase of the Archaic Period (L. Hammack to R.P. Watson, personal communication). The site is located in the SE 1/4 of the NE 1/4 of Section 29, T. 41 S., R. 24 E. The site number is unknown and its location was plotted on Figure 3 by use of UTM's provided by Mr. Hammack of C.A.S.A.

Two additional sites within the Phillips Field have been documented by the Navajo Nation Cultural Resource Management Program (Martin, 1983). Those sites are also located in Sections 16 and 29, T. 41 S., R. 24 E. UT-C-54-3 is described as a permanent Historic Navajo sheep camp with two corrals or lambing pens and possible hogan. UT-C-54-4 is an undated lithic scatter containing complete and broken flakes and burned sandstone. The locations of these sites were also plotted on Figure 3 on the basis of UTM's provided in the report. The actual site location in Section 16 is uncertain. On maps provided by Phillips Petroleum a large site area is shown in the SW 1/4, however, it has not been determined if this site was recorded by Navajo Nation Cultural Resource Management Program or C.A.S.A.

According to Mr. Isaacs, the Navajo Tribal Utility Authority has worked on the Phillips Lease Area within the last year. In the absence of a known project number, however, it is not possible to obtain information concerning a cultural resource inventory related to the project (Joe Anderson, personal communication).

Three additional sites north of the project area and south of the San Juan River have been recorded by the Navajo Nation Cultural Resource Management Program. Those sites are briefly described below and were plotted on Figure 3 on the basis of information provided by the source listed:

UT-C-54-1: Post 1970 Navajo site (Phillip Stewart, personal communication).

UT-C-54-2: Lithic/ceramic/ground stone scatter located in blowouts; Anasazi, Basketmaker III-Pueblo I (Phillip Stewart, personal communication).

UT-C-54-5: Lithic scatter; undated (McEnany, 1984).

SJC-727: Rubble mound, lithics, ceramics.

None of the previously recorded sites will be impacted by the proposed land modifications.

Proposed Well: Ratherford Unit 21-11 (Figure 8)

Land Jurisdiction: Navajo Nation

Legal Description: The proposed well is in the Center of the NW 1/4 of the NW 1/4 of Section 21, T. 41 S., R. 24 E., S.L.P.M., San Juan County, Utah. The center stake is 660 feet from the north line and 660 feet from the west line. The flow line will be in the NW 1/4 of the NW 1/4 of the NW 1/4.

Elevation: 1,444 meters (4,736 feet)

UTM Coordinates: Well = Zone 12; 651,420 mE; 4,119,660 mN.  
Access End = Zone 12; 651,345 mE; 4,119,730 mN.  
Flow Line End = Zone 12; 651,320 mE; 4,119,890 mN.

Actual Project Area: Well = 107 m. x 107 m. (350' x 350')  
Access = 12.2 m. x 46 m. (40' x 150')  
Flow Line = 3 m. x 214 m. (10' x 700')  
TOTAL: 1.2 hectares (3.1 acres)

Actual Survey Area: 137 m. x 137 m. (450' x 450')  
23 m. x 46 m. (75' x 150')  
7.6 m. x 214 m. (25' x 700')  
TOTAL: 2.1 hectares (5.3 acres)

Physiography and Environment:

The project area is located in Zone C. Several two-tracks cross the project area. The access and flow line will follow a two-track.

Cultural Resources:

None.

Recommendations:

Archaeological clearance is recommended for the project area.




FIGURE 8  
Report 84-SJC-071A



37.  
SUMMARY

A total of six isolated occurrences were located during the inspection of the fourteen project areas. The isolates are described in the appropriate preceding "Project Location" sections and are summarized in Table 1.

Eleven of the project areas contained no archaeological materials. Three project areas contained isolated chipped or ground stone artifacts, the information potential of which is suggested to have been exhausted with recording. Archaeological clearance, therefore, is recommended for all fourteen project areas described in this report.

In the event that any previously undiscovered archaeological materials are encountered during the course of construction activities, work in the immediate area should cease immediately and the Bureau of Indian Affairs Area Archaeologist should be notified.

Final clearance is the prerogative of the Bureau of Indian Affairs Area Archaeologist and will be granted upon review of this report at his discretion.

## BIBLIOGRAPHY

- Fike, Richard E. and LaMar W. Lindsay  
1976 Archaeological Survey of the Bluff Bench/San Juan River and White Mesa Areas, San Juan County, Utah, 1973-1974. In Antiquities Section Selected Papers Volume III, Numbers 9-11, Pgs. 1-23. Salt Lake City: Utah State Historical Society, Department of Development Services, Division of State History.
- Hewett, Nancy S., Margaret A. Powers and Meade F. Kemrer  
1979 An Archaeological Survey and Evaluation of Resources Along the San Juan River Near Aneth, Utah. Division of Conservation Archaeology, Contributions to Anthropology Series 46.
- Langenfeld, Kristin  
1982 Archaeological Surveys of 24 Proposed Drill Pad Conversions Near Montezuma Creek, San Juan County, Utah (CRMP-82-077). On file, Navajo Nation Cultural Resource Management Program, Window Rock, Arizona.
- Lipe, William  
1970 Anasazi Communities of the Red Rock Plateau, Southeastern Utah. In Reconstructing Prehistoric Pueblo Societies, edited by William A. Longacre, Pgs. 84-139. Albuquerque: UNM Press.
- Martin, Rena  
1983 An Archaeological Survey of Surface Flowlines and Assorted Parcels of Land in San Juan County, Utah (CRMP-83-336). On file, Navajo Nation Cultural Resource Management Program, Farmington, New Mexico.
- McEnany, Tim  
1984 An Archaeological Survey of Two Well Locations Near Montezuma Creek, Utah for the Chuska Energy Company (CRMP-84-36). On file, Navajo Nation Cultural Resource Management Program, Farmington, New Mexico.
- Reed, Alan C.  
1983 An Archaeological Survey of a Segment of Seismic Line R-3-83 in San Juan County, Utah. Contributions to Anthropology Series No. 749. On file, Division of Conservation Archaeology, Farmington, New Mexico.

OPERATOR Phillips Oil Co DATE 7-26-84

WELL NAME Rutherford Unit #21-11

SEC NW NW 21 T 41S R 24E COUNTY San Juan

43-037-31052  
API NUMBER

Indian  
TYPE OF LEASE

POSTING CHECK OFF:

☐

INDEX

☐

HL

☐☐

NID

☐

PI

☐☐

MAP

☐☐

PROCESSING COMMENTS:

Unit Well - & on P.O.D  
Need water permit

APPROVAL LETTER:

SPACING:

☒

A-3

Rutherford  
UNIT

☐

c-3-a

CAUSE NO. & DATE

☐

c-3-b

☐

c-3-c

SPECIAL LANGUAGE:

1- Water

☒ RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.

☒ AUTHENTICATE LEASE AND OPERATOR INFORMATION

☒ VERIFY ADEQUATE AND PROPER BONDING

☒ AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

☐ APPLY SPACING CONSIDERATION

☐ ORDER \_\_\_\_\_

☒ UNIT Rathford

☐ c-3-b

☐ c-3-c

☐ CHECK DISTANCE TO NEAREST WELL.

☐ CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.

☐ IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER

☐ IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

July 27, 1984

Phillips Oil Company  
P. O. Box 2920  
Casper, Wyoming 82602

RE: Well No. Rutherford Unit 21-11  
N4W Sec. 21, T. 41S, R. 24E  
660' FNL, 660' FWL  
San Juan County, Utah

Gentlemen:

Approval to drill the above referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 533-5771, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2  
Phillips Oil Company  
Well No. Ratherford Unit 21-11  
July 27, 1984

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31052.

Sincerely,

  
R. J. Firth  
Associate Director, Oil & Gas

EJF/as

cc: Branch of Fluid Minerals  
Bureau of Indian Affairs

Enclosures

J

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐  
well well
2. NAME OF OPERATOR  
Phillips Oil Company
3. ADDRESS OF OPERATOR  
8055 E. Tufts Ave. Pkwy., Denver, CO 80237
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FNL, 660' FWL (NW NW)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)			

5. LEASE  
14-20-603-355
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo
7. UNIT AGREEMENT NAME  
SW-I-4192
8. FARM OR LEASE NAME  
Ratherford Unit
9. WELL NO.  
#21-11
10. FIELD OR WILDCAT NAME  
Greater Aneth
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 21-T41S-R24E
12. COUNTY OR PARISH  
San Juan
13. STATE  
Utah
14. API NO.  
43-037-31052
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4736' G.L.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled 17 1/2" conductor hole to 125' G.L. on 10-19-84. Ran 124.32' 13-3/8" 54.5# K-55 Buttress conductor casing. Set @ 124.32' G.L. Cemented with 177 cu.ft. (150 sx) Class B to surface. Finished job and moved out rat hole driller 10-20-84.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Donald A. Beer TITLE Drilling Manager DATE \_\_\_\_\_

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:


- 6 - BLM, Farmington, NM  
2 - ~~Utah DCCC~~, LC  
1 - Casper  
1 - File (RC)  
1 - J. Weichbrodt

\*See Instructions on Reverse Side

- #20-31 - MI Completion Unit 11/19/84. Drld out to PBTD 5621'. Perforated 5613-5617, 4 SPF, 4" HSC gun, 16 shots, 5586-5608', 2 SPF, 4" HSC gun, 44 shots, 5546-5568', 2 SPF, 4" HSC gun, 44 shots. Acidized 5613-17' w/600 gal 28% FE Acid, 5586-5608' w/2300 gal acid, 5546-5568' w/150 gal/ft acid. Set 2-7/8" tbg at 5446'. Completed as a flowing oil well 11/24/84 from Desert Creek Zone I perfs 5546-5617' with a final test of 157 BOPD, 63 MCFGPD, 193 BWPD.
- #21-11 - RURT 11/29/84. Spudded 12-1/4" hole at 10:45 p.m., 11/29/84, Drld to 1545'. As of 11/30/84 - Drlg at 1545'.
- #29-11 - RURT 11/6/84. Spudded 12-1/4" hole at 6:30 p.m., 11/6/84, Drld to 1610'. Set 9-5/8" csg at 1610', cmtd w/700 sx Class B. No cmt returns. Run 1" down backside, cmtd w/100 sx Class B neat. Drld 8-3/4" hole to 5613'. Core #1 5613-5668', cut 55', rec 53.4'. Core #2 5684-5744', cut & rec 60'. Core #3 5716-5726', cut & rec 10'. TD 5726', 11/27/84. Set 7" csg at 5720', cmtd w/700 sx Class B. Full returns. Released Rig at 6:00 a.m., 11/29/84. As of 11/30/84 - Waiting on completion unit.

Respectfully Submitted,

PHILLIPS OIL COMPANY

  
A. E. Stuart  
Area Manager

PJA/fb (11)  
Attachment  
Casper RC



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐  
well well  
2. NAME OF OPERATOR  
Phillips Oil Company  
3. ADDRESS OF OPERATOR  
8055 E. Tufts Ave. Pkwy., Denver, CO 80237  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FNL, 660' FWL (NWNW)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

## SUBSEQUENT REPORT OF:

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

RECEIVED

DEC 11 1984

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

BUREAU OF LAND MANAGEMENT  
FARMINGTON, UTAH

5. LEASE  
14-20-603-355  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo  
7. UNIT AGREEMENT NAME  
SW-I-4192  
8. FARM OR LEASE NAME  
Ratherford Unit  
9. WELL NO.  
#21-11  
10. FIELD OR WILDCAT NAME  
Greater Aneth  
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 21-T41S-R24E  
12. COUNTY OR PARISH  
San Juan  
13. STATE  
Utah  
14. API NO.  
43-037-31052  
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4736' G.L.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spudded well 11-29-84 with Energy Search Drilling Rig #2. Drilled 12 1/4" hole to 1618' RKB. Ran 1618' 9 5/8" 36# K-55 ST&C surface casing. Cemented with 968 cu.ft. (400 sx) Class 'B' w/20% Diacel D: tailed with 354 cu.ft. (300 sx) Class 'B'. Cemented annulus with 71 cu.ft. (60 sx) Class 'B' through 1" pipe. Job complete 12-2-84.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Gerald W. Bink TITLE Drilling Manager DATE 5-Dec 1984

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE ACCEPTED FOR RECORD

CONDITIONS OF APPROVAL IF ANY:

- 6 - BLM, Farmington, NM
- 2 - Utah O&G CC, SLC
- 1 - Casper
- 1 - File (RC)
- 1 - J. Weichbrodt

\*See Instructions on Reverse Side

OPERATOR

DEC 11 1984

FARMINGTON RESOURCE AREA

BY Sm

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR  
Phillips Oil Company
3. ADDRESS OF OPERATOR  
8055 E. Tufts Ave. Pkwy., Denver, CO 80237
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FNL, 660' FWL (NW NW)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)			

5. LEASE  
14-20-603-355
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo
7. UNIT AGREEMENT NAME  
SW-I-4192
8. FARM OR LEASE NAME  
Ratherford Unit
9. WELL NO.  
#21-11
10. FIELD OR WILDCAT NAME  
Greater Aneth
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 21-T41S-R24E
12. COUNTY OR PARISH  
San Juan
13. STATE  
Utah
14. API NO.  
43-037-31052
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4736' G.L.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled 8 3/4" hole to 5653'. Ran 5653' of 7" 23# & 26# K-55 ST&C & LT&C casing. Cemented with 1,144 cu.ft. (400 sx) Class 'B' with 20% Diacel D; tailed with 360 cu.ft. (300 sx) Class 'B' with 18% salt. Job completed 12-13-84. Plug back total depth 5608'.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Drilling Manager DATE 5 Jan 1985

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

FEB 07 1985



PHILLIPS OIL COMPANY

A SUBSIDIARY OF PHILLIPS PETROLEUM COMPANY

DENVER, COLORADO 80237-2898  
8055 EAST TUFTS AVENUE PARKWAY

DIVISION OF OIL  
GAS & MINING

DATA TRANSMITTAL

TO: Div. of Oil, Gas and Mining  
355 W. North Temple  
#3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

February 4, 1985

RE: Ratherford Unit

ENCLOSED PLEASE FIND COPIES OF THE FOLLOWING:

1. ☐ Approved Well Permit
2. ☐ Core Analysis/Core Description
3. ☐ DST Chart/DST Report # \_\_\_\_\_
4. ☐ Fluid Analysis (Gas, Water, Oil)
5. ☐ Geological Prognosis and Drilling
6. ☐ Geological Well Report
7. ☐ Survey Plat
8. ☐ Well Completion Report
9. ☐ Well History
10. ☐ Well Permit Application
11. ☐ LOGS (Field Prints) \_\_\_\_\_ RUN # \_\_\_\_\_ DATE: \_\_\_\_\_
12. ☒ LOGS (Final Prints) \_\_\_\_\_ RUN # \_\_\_\_\_ DATE: \_\_\_\_\_

*Spoke with James Gentry in Denver letting him know that spud notice was not recieved. will send copy of sundry*

*41524621 Ra-Hurford Unit 21-11 DCL FDC-CNL*  
*19 19-31 " " MEL*

PLEASE ACKNOWLEDGE RECEIPT BY SIGNING AND RETURNING THE ENCLOSED COPY TO THE ABOVE ADDRESS. THANK YOU.

ATTN. L. KAWA

R. M. Coffelt  
Manager, Geological Development  
Western Division

RECEIVED BY:  
EGD.P36-2

*Copy sent 2-8-85*

DATE: *S. Zorela*

RECEIVED

FEB 07 1985



**PHILLIPS OIL COMPANY**

A SUBSIDIARY OF PHILLIPS PETROLEUM COMPANY

DENVER, COLORADO 80237-2898  
8055 EAST TUFTS AVENUE PARKWAY

**DIVISION OF OIL  
& MINING**

DATA TRANSMITTAL

TO: Div. of Oil, Gas and Mining  
355 W. North Temple  
#3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

February 4, 1985

RE: Ratherford Unit

ENCLOSED PLEASE FIND COPIES OF THE FOLLOWING:

1. ☐ Approved Well Permit
2. ☐ Core Analysis/Core Description
3. ☐ DST Chart/DST Report # \_\_\_\_\_
4. ☐ Fluid Analysis (Gas, Water, Oil)
5. ☐ Geological Prognosis and Drilling Program
6. ☐ Geological Well Report
7. ☐ Survey Plat
8. ☐ Well Completion Report
9. ☐ Well History
10. ☐ Well Permit Application
11. ☐ LOGS (Field Prints) \_\_\_\_\_ RUN # \_\_\_\_\_ DATE: \_\_\_\_\_
12. ☒ LOGS (Final Prints) \_\_\_\_\_ RUN # \_\_\_\_\_ DATE: \_\_\_\_\_

41524621 Ratherford Unit 21-1 DLL FDC-CNL  
19 19-31 " " MEL

PLEASE ACKNOWLEDGE RECEIPT BY SIGNING AND RETURNING THE ENCLOSED COPY TO THE ABOVE ADDRESS. THANK YOU.

ATTN. L. KAWA

R. M. Coffelt  
Manager, Geological Development  
Western Division

RECEIVED BY:  
EGD.P36-2

Copy sent 2-8-85 S. Zarella  
DATE: \_\_\_\_\_

(November 1983)  
(formerly 9-330)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

Budget Bureau No. 1004-0137  
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other \_\_\_\_\_

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVR. ☐

2. NAME OF OPERATOR

Phillips Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 2920, Casper, Wyoming 82602

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

At surface 660' FNL & 660' FWL, NW NW

At top prod. interval reported below

At total depth

14. PERMIT NO.

43-037-31052

DATE ISSUED

7-27-84

15. DATE SPUDDED

11/29/84

16. DATE T.D. REACHED

12/11/84

17. DATE COMPL. (Ready to prod.)

2/5/85

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\*

GR 4736', RKB 4749.5'

19. ELEV. CASINGHEAD

--

20. TOTAL DEPTH, MD & TVD

5653'

21. PLUG BACK T.D., MD & TVD

5602'

22. IF MULTIPLE COMPL., HOW MANY\*

--

23. INTERVALS DRILLED BY

ROTARY TOOLS

0 - 5653'

CABLE TOOLS

--

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

5557' - 5590' Desert Creek Zone I

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLI, Micro-Laterlog, GR, Compensated Density, Compensated Neutron

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	124'	17-1/2"	177 cu.ft. Class "B"	--
9-5/8"	36#	1618'	12-1/4"	1322 cu.ft. Class "B"	--
7"	23# & 26#	5653'	8-3/4"	1504 cu.ft. Class "B"	--

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)
--	--	--	--	--

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	5451'	5322'

31. PERFORATION RECORD (Interval, size and number)

5557-60', 2 SPF, 4" HSC Gun, 6 holes  
5563-66', 2 SPF, 4" HSC Gun, 6 holes  
5570-90', 2 SPF, 4" HSC Gun, 40 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
--	--

33. PRODUCTION

DATE FIRST PRODUCTION 2/5/85		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Shut-in Pending Stimulation				WELL STATUS (Producing or shut-in) Shut-in SL 5000	
DATE OF TEST --	HOURS TESTED --	CHOKE SIZE --	PROD'N. FOR TEST PERIOD →	OIL—BBL. --	GAS—MCF. --	WATER—BBL. --	GAS-OIL RATIO --
FLOW. TUBING PRESS. --	CASING PRESSURE --	CALCULATED 24-HOUR RATE →	OIL—BBL. --	GAS—MCF. --	WATER—BBL. --	OIL GRAVITY-API (CORR.) --	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

--

TEST WITNESSED BY

--

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

A. E. Stuart

TITLE

Area Manager

DATE

February 15, 1985

DISTRIBUTION ON BACK \* (See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
DST #1	5557	5590	Tbg had 2100' of lse wtr cushion. 1st flow 5 min, no blow. SI 60 min. 2nd flow 140 min. SI 14 hrs for pressure buildup. Bleed pressure off tbg, gas to surface. Found fluid at 2480'. Rec 1000' of fluid more than cushion. Rec 1030' cc sample (78% wtr). IFP 1054-1063 psi, ISIP 3158 psi, FFP 1082-1410 psi, FSIP 3167.	Shinarump DeChelly Hermosa Desert Creek Zone I	LOG TOPS 2302' 2625' 4558' 5554'	

Distribution:

- 4 - BLM, Farmington, NM
- 2 - Utah O&G CC, Salt Lake City, UT
- 1 - The Navajo Nation, Window Rock, AZ
- 1 - B. A. Conner, B'Ville
- 1 - L. R. Williamson (r) G. W. Berk, Denver
- 1 - R. M. Coffelt (r) Pat Bertuzzi, Denver
- 1 - D. L. Fraser, Denver
- 1 - O. G. Poling, Denver
- 1 - W. I. Owners
- 1 - P. J. Adamson
- 1 - File RC



# PHILLIPS OIL COMPANY

A SUBSIDIARY OF PHILLIPS PETROLEUM COMPANY

DENVER, COLORADO 80237-2898  
8055 EAST TUFTS AVENUE PARKWAY

March 1, 1985

**RECEIVED**

MAR 06 1985

Division of Oil, Gas & Mining  
355 W. North Temple  
3 Triad Center  
Suite 350  
Salt Lake City, UT 84180-1203

**DIVISION OF OIL  
GAS & MINING**

Attn: Stephanie Barela

Gentlemen:

Attached for your perusal are copies of Sundry Notices formulated to cover operations carried out on the wells:

Ratherford Unit 21-11  
Ratherford Unit 29-22

If there are any questions or comments, please contact J. J. Gentry at (303) 850-3187.

Very truly yours,

G. W. Berk  
RMR Drilling Manager

GWB:JJG:JR  
Attach





UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-017  
Expires August 31, 1985

4

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1. TYPE OF WELL: ☒ OIL WELL ☐ GAS WELL ☐ DRY ☐ Other

2. TYPE OF COMPLETION:

NEW WELL ☒

WORK OVER ☐

DEEP-EN ☐

PISTON BACK ☐

DIFF. CENVR. ☐

Other

Supplement to Initial

3160-4 Submitted on

2/15/85 to Include

Stimulation & Test

Results

3. NAME OF OPERATOR

Phillips Oil Company

4. ADDRESS OF OPERATOR

P. O. Box 2920, Casper, Wyoming 82602

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

At surface 660' FNL & 660' FWL, NW NW

At top prod. interval reported below

At total depth

14. PERMIT NO.

43-037-31052

DATE ISSUED

7-22-84

15. DATE SPUDDED

11/29/84

16. DATE T.D. REACHED

12/11/84

17. DATE COMPL. (Ready to prod.)

2/5/85

18. ELEVATIONS (DP, RKB, RT, GR, ETC.)\*

GR 4736', RKB 4749.5'

19. ELEV. CASINGHEAD

--

20. TOTAL DEPTH, MD & TVD

5653'

21. PLUG. BACK T.D., MD & TVD

5602'

22. IF MULTIPLE COMPL., HOW MANY\*

--

23. INTERVALS DRILLED BY

ROTARY TOOLS

0 - 5653'

CABLE TOOLS

--

24. PRODUCING INTERVAL(S). OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

5557' - 5590' Desert Creek Zone I

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLD, Micro-Log, GR, Compensated Density, Compensated Neutron

27. WAS WELL CORROD

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	124'	17-1/2"	177 cu.ft. Class "B"	--
9-5/8"	36#	1618'	12-1/4"	1322 cu.ft. Class "B"	--
7"	23# & 26#	5653'	8-3/4"	1504 cu.ft. Class "B"	--

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)
--	--	--	--	--

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	5451'	--

31. PERFORATION RECORD (Interval, size and number)

5557-60', 2 SPF, 4" HSC Gun, 6 holes  
5563-66', 2 SPF, 4" HSC Gun, 6 holes  
5570-90', 2 SPF, 4" HSC Gun, 40 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5557-5590' -	Spot 500 gal 15% FE Acid w/4 gal/1000 Lo-Surf 259, 2-1/2 gal/1000 HC-2 and 2 gal/1000 HAI-60. Treat w/50 gal/ft. of acid.

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
2/5/85		Pumping 3/13/85		1-3/4"		Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
3/17/85	24	--	→	26	10	0	400
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	
--	--	→	26	10	0	40.0	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

--

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

A. E. Stuart

TITLE

Area Manager

DATE May 6, 1985

DIST. ON BACK

\*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
DST #1	5557	5590	Tbg had 2100' of 1se wtr cushion. 1st flow 5 min, no blow. SI 60 min. 2nd flow 140 min. SI 14 hrs for pressure buildup. Bleed pressure off tbg, gas to surface. Found fluid at 2480'. Rec 1000' of fluid more than cushion. Rec 1030' cc sample (78% wtr). IFP 1054-1063 psi, ISIP 3158 psi, FFP 1082-1410 psi, FSIP 3167.

Distribution:

- 4 - BLM, Farmington, NM
- 2 - Utah O&G CC, Salt Lake City, UT
- 1 - The Navajo Nation, Window Rock, AZ
- 1 - B. A. Conner, B'Ville
- 1 - L. R. Williamson r) G. W. Berk, Denver
- 1 - R. M. Goffelt r) Pat Bertuzzi, Denver
- 1 - D. L. Fraser, Denver
- 1 - O. G. Holing, Denver
- 1 - W. I. Gwners
- 1 - P. J. Adamson
- 1 - File R0

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
LOG TOPS		
Shinarump	2302'	
DeChelly	2625'	
Hermosa	4558'	
Desert Creek		
Zone I	5554'	

# Mobil Oil Corporation

P.O. BOX 5444  
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth  
Associate Director

RECEIVED  
MAY 16 1986

DIVISION OF  
OIL, GAS & MINING

## SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



CNE/rd  
CNE8661

R. D. Baker  
Environmental Regulatory Manager

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-355
2. NAME OF OPERATOR Phillips Petroleum Company	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR P. O. Box 1150, Cortez, CO 81321	7. UNIT AGREEMENT NAME SW-I-4192
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FNL & 660' FWL (NW NW)	8. FARM OR LEASE NAME Ratherford Unit
14. PERMIT NO. 43-037-31052	9. WELL NO. #21-11
15. ELEVATIONS (Show whether DF, RT, etc.) 4736' RKB	10. FIELD AND POOL, OR WILDCAT Greater Aneth
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. #21- T41S-R24E
	12. COUNTY OR PARISH San Juan
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

August 10, 1988 to August 18, 1988

MI, RU Well Service unit on 8/10/88. Pull rods & pump. Release anchor catcher and POOH. RIH w/tubing open-ended to 5566', pump 200 gal. 15% acid and displace to perfs. POOH w/tubing. Perforate 5521'-5525', 5534'-5538', 5556'-5560', and 5562'-5566'. Perforate 5570'-5586'. All feet 4 SPF. All shots fired. All perfs are actually 20' lower than above after pipe correlation. Acidize using pin point injection packer each 3' of perforated interval. Release PPI tool, RIH w/production tubing, set anchor at 5474'. Tubing and pump S.N. at 5605'. RIH w/pump and rods. Hang well on to production line. Released rig 8/18/88.

5-BLM, Farmington NM  
2-Utah O&G CC  
1-M. Williams, B'ville  
1-S. H. Oden, Casper  
1-Chieftain  
1-Mobil Oil  
1-Texaco, Inc.  
1-Chevron, USA  
1-Cortez Office - RC

Production before: 3 BOPD 2 BWPD  
Production after: 51 BOPD 8 BWPD

18. I hereby certify that the foregoing is true and correct

SIGNED M. L. Mungin

TITLE DIST. SPT.

DATE 4/27/89

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

\*See Instructions on Reverse Side

STATE OF UTAH  
DIVISION OF OIL, GAS AND MININGPage 1 of 10

## MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ACCOUNT NUMBER: N0772

P J KONKEL  
PHILLIPS PETROLEUM COMPANY  
5525 HWY 64 NBU 3004  
FARMINGTON NM 87401

AUG 16 1993

REPORT PERIOD (MONTH/YEAR):

6 / 93

DIVISION OF  
OIL, GAS & MININGAMENDED REPORT ☐ (Highlight Changes)

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23								
4303713754	06280	41S 24E 21	DSCR	POW	29	1374	883	58
#3-44								
4303715031	06280	41S 24E 3	DSCR	POW	30	111	94	2905
#3-14								
4303715124	06280	41S 24E 3	DSCR	POW	30	67	23	302
#9-12								
4303715126	06280	41S 24E 9	DSCR	POW	30	112	654	17363
#9-14								
4303715127	06280	41S 24E 9	DSCR	POW	30	201	315	423
#28-12								
4303715336	06280	41S 24E 28	PRDX	POW	29	112	47	2428
#29-12								
4303715337	06280	41S 24E 29	PRDX	POW	29	56	0	672
#29-32								
4303715339	06280	41S 24E 29	DSCR	POW	29	1402	287	2224
#29-34								
4303715340	06280	41S 24E 29	DSCR	POW	29	757	48	0
#30-32								
4303715342	06280	41S 24E 30	DSCR	POW	29	588	1049	3744
#3-12								
4303715620	06280	41S 24E 3	DSCR	POW	30	268	11	363
#9-34								
4303715711	06280	41S 24E 9	DSCR	POW	30	45	46	9800
#10-12								
4303715712	06280	41S 24E 10	DSCR	POW	30	45	23	1088
TOTALS						5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box 633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 8/11/93

Name and Signature: PAT KONKEL

*Pat Konkell*

Telephone Number: 505 599-3452

## MONTHLY OIL AND GAS DISPOSITION REPORT

OPERATOR NAME AND ADDRESS:

*L B Sheffield*~~BRIAN BERRY~~~~MOBIL~~~~POB 219031 1807A RENTW~~~~DALLAS TX 75221-9031~~ *P.O. DRAWER 6*  
*CORTEZ, CO. 81321*UTAH ACCOUNT NUMBER: N7370REPORT PERIOD (MONTH/YEAR): 7 / 93AMENDED REPORT ☐ (Highlight Changes)*\*931006 updated.  
Jee*

ENTITY NUMBER	PRODUCT	GRAVITY	BEGINNING INVENTORY	VOLUME PRODUCED	DISPOSITIONS				ENDING INVENTORY
		BTU			TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	
05980	OIL			177609	177609	0			
	GAS			72101	66216	5885			
11174	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
TOTALS				249710	243825	5885			

COMMENTS:

*PLEASE NOTE ADDRESS change. Mobin ~~also~~ PRODUCTION Reports  
will be compiled and sent from the Cortez, Co. office  
IN THE FUTURE.*

I hereby certify that this report is true and complete to the best of my knowledge.

Name and Signature:

*L B Sheffield*

Date:

*9/5/93*

Telephone Number:

*303.565.2212  
244.658.2528*

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

3. LEASE DESIGNATION &amp; SERIAL NO.

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NAVAJO TRIBAL

7. UNIT AGREEMENT NAME

RATHERFORD UNIT

8. FARM OR LEASE NAME

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT  
GREATER ANETH11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA1. OIL ☐ GAS ☐  
WELL WELL OTHER

2. NAME OF OPERATOR

MOBIL OIL CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX 633 MIDLAND, TX 79702

SEP 13 1993

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)  
At surface

At proposed prod. zone

DIVISION OF  
OIL, GAS & MINING

14. API NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY  
SAN JUAN13. STATE  
UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) CHANGE OF OPERATOR ☐(Note: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

APPROX. DATE WORK WILL START \_\_\_\_\_

DATE OF COMPLETION \_\_\_\_\_

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

\* Must be accompanied by a cement verification report.

AS OF JULY1, 1993, MOBIL OIL CORPORATION IS THE OPERATOR OF THE RATHERFORD UNIT.  
ATTACHED ARE THE INDIVIDUAL WELLS.

18. I hereby certify that the foregoing is true and correct

SIGNED

Shirley Todd

TITLE

ENV. &amp; REG TECHNICIAN

DATE

9-8-93

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

See Instructions On Reverse Side

Sept 29, 1993

TO: Lisha Cordova - Utah Mining  
Oil & Gas

FROM: Janice Easley  
BLM Farmington, NM  
505 599-6355

Here is copy of Rutherford Unit  
Successor Operator.

4 pages including this one.



*2-1-1 Ratherford Unit (GC)*

RECEIVED  
BLM

SEP 27 11:44

070 FARMINGTON, NM

Navajo Area Office  
P. O. Box 1060  
Gallup, New Mexico 87305-1060

ARES/543

JUL 26 1993


Mr. G. D. Cox  
Mobil Exploration and  
Producing North America, Inc.  
P. O. Box 633  
Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,



ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.  
TNN, Director, Minerals Department w/enc.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF INDIAN AFFAIRS

RECEIVED  
BLM

DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit, <sup>62 JUL 27 1993</sup>

AREA OFFICE: Window Rock, Arizona  
LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702  
Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

Phillips Petroleum Company

June 17, 1993

By: M. B. [Signature]  
Attorney-in-Fact

Mobil Exploration and Producing  
North America Inc.

June 11, 1993

By: B. D. Martiny  
Attorney-in-Fact B.D. MARTINY

[Signature] ACTING AREA DIRECTOR  
APPROVED BY TITLE DATE  
7/9/93

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

## EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

## EXHIBIT "C"

Revised as of September 29, 1992  
SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

<u>Tract Number</u>	<u>Description of Land</u>	<u>Serial Number and Effective Date of Lease</u>	<u>Tract Percentage Participation</u>
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March 1, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26, 1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining  
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ Well File \_\_\_\_\_

☐ Suspense  
(Return Date) \_\_\_\_\_  
(To - Initials) \_\_\_\_\_

☒ Other  
OPERATOR CHANGE  
\_\_\_\_\_  
\_\_\_\_\_

(Location) Sec \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_  
(API No.) \_\_\_\_\_

1. Date of Phone Call: 10-6-93 : Time: 9:30

2. DOGM Employee (name) L. CORDOVA (Initiated Call ☒  
Talked to:

Name GLEN COX (Initiated Call ☐ - Phone No. (915) 688-2114

of (Company/Organization) MOBIL

3. Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT".  
(NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL  
OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)

4. Highlights of Conversation: \_\_\_\_\_

MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS

PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW  
BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS.

MEPNA-

PO DRAWER G

CORTEZ, CO 81321

(303)565-2212

\*ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATED BY MEPNA, CURRENTLY  
REPORTED OUT OF DALLAS (MCELMO CREEK).

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

Routing:

1	REC/47-93
2	DEPT/58-FILE
3	VLC
4	RJFV
5	DEPT
6	FILE

Attach all documentation received by the division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

- ☒ Change of Operator (well sold)      ☐ Designation of Agent  
☐ Designation of Operator      ☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93)

TO (new operator) M E P N A  
 (address) PO DRAWER G  
CORTEZ, CO 81321  
GLEN COX (915) 688-2114  
 phone (303) 565-2212  
 account no. N7370

FROM (former operator) PHILLIPS PETROLEUM COMPANY  
 (address) 5525 HWY 64 NBU 3004  
FARMINGTON, NM 87401  
PAT KONKEL  
 phone (505) 599-3452  
 account no. N0772(A)

Well(s) (attach additional page if needed):

**\*RATHERFORD UNIT (NAVAJO)**

Name: <b>**SEE ATTACHED**</b>	API: <u>43-037-31052</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

**OPERATOR CHANGE DOCUMENTATION**

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 8-20-93) (6/93 Prod. Rpt. 8-16-93)
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Reg. 8-31-93) (Rec'd 9-14-93)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_\_ If yes, show company file number: \_\_\_\_\_
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 6. Cardex file has been updated for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 7. Well file labels have been updated for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (10-6-93)
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

## ENTITY REVIEW

- Yes 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

## BOND VERIFICATION (Fee wells only)

- Yes 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no)   . Today's date                      19  . If yes, division response was made by letter dated                      19  .

## LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated                      19  , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- DC's  
4-10-93
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

## FILMING

- ✓ 1. All attachments to this form have been microfilmed. Date: 11/17 1993.

## FILING

- Yes 1. Copies of all attachments to this form have been filed in each well file.
- Yes 2. The original of this form and the original attachments have been filed in the Operator Change file.

## COMMENTS

931006 BIA/Btm Approved 7-9-93.

✓ 19W-21	43-037-15741	14-20-603-353	SEC. 19, T41S, R24E	NE/NW 660' FNL 1860' FWL
✓ 19-22	43-037-31046	14-20-603-353	SEC. 19, T41S, R24E	SE/NW 1840' FNL; 1980' FWL
✓ 19W-23	43-037-15742	14-20-603-353	SEC. 19, T41S, R24E	NE/SW 2080' FSL; 1860' FWL
✓ 19-31	43-037-31047	14-20-603-353	SEC. 19, T41S, R24E	NW/NE 510' FNL; 1980' FEL
✓ 19-32	43-037-15743	14-20-603-353	SEC. 19, T41S, R24E	SW/NE 1980' FNL; 1980' FEL
✓ 19-33	43-037-31048	14-20-603-353	SEC. 19, T41S, R24E	NW/SE 1980' FSL; 1980' FEL
✓ 19-34	43-037-15744	14-20-603-353	SEC. 19, T41S, R24E	SW/SE 660' FSL; 1980' FEL
✓ 19W-41	43-037-15745	14-20-603-353	SEC. 19, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 19-42	43-037-30916	14-20-603-353	SEC. 19, T41S, R24E	SE/NE 1880' FNL, 660' FEL
✓ 19W-43	43-037-16420	14-20-603-353	SEC. 19, T41S, R24E	NE/SE 1980' FSL; 760' FEL
✓ 19-44	43-037-31081	14-20-603-353	SEC. 19, T41S, R24E	SE/SE 660' FSL; 660' FEL
✓ 19-97	43-037-31596	14-20-603-353	SEC. 19, T41S, R24E	2562' FNL, 30' FEL
✓ 20-11	43-037-31049	14-20-603-353	SEC. 20, T41S, R24E	NW/NW 500' FNL; 660' FWL
✓ 20-12	43-037-15746	14-20-603-353	SEC. 20, T41S, R24E	1980' FNL, 660' FWL
✓ 20-13	43-037-30917	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2140' FSL, 500' FWL
✓ 20-14	43-037-15747	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 660' FWL
✓ 20W-21	43-037-16423	14-20-603-353	SEC. 20, T41S, R24E	660' FNL; 1880' FWL
✓ 20-22	43-037-30930	14-20-603-353	SEC. 20, T41S, R24E	SE/NW 2020' FNL; 2090' FWL
✓ 20W-23	43-037-15748	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2080; 2120' FWL
✓ 20-24	43-037-30918	14-20-603-353	SEC. 20, T41S, R24E	SE/SW 820' FSL; 1820' FWL
✓ 20-31	43-037-31050	14-20-603-353	SEC. 20, T41S, R24E	NW/NE 660' FNL; 1880' FEL
✓ 20-32	43-037-15749	14-20-603-353	SEC. 20, T41S, R24E	SW/NE 1980' FNL, 1980' FEL
✓ 20-33	43-037-30931	14-20-603-353	SEC. 20, T41S, R24E	NW/SE 1910' FSL; 2140' FEL
✓ 20-34	43-037-15750	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 1850' FEL
✓ 20W-41	43-037-15751	14-20-603-353	SEC. 20, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 20-42	43-037-31051	14-20-603-353	SEC. 20, T41S, R24E	SE/NE 1980' FNL; 660' FEL
✓ 20W-43	43-037-16424	14-20-603-353	SEC. 20, T41S, R24E	2070' FSL; 810' FEL
✓ 20-44	43-037-30915	14-20-603-353	SEC. 20, T41S, R24E	SE/SE 620' FSL; 760' FEL
✓ 20-66	43-037-31592	14-20-603-353	SEC. 20, T41S, R24E	SW/NW 1221' FWL; 1369' FNL
✓ 21-11	43-037-31052	14-20-603-355	SEC. 21, T41S, R24E	NW/NW 660' FNL; 660' FWL
✓ 21-12	43-037-15752	14-20-603-355	SEC. 21, T41S, R24E	2080' FNL; 660' FWL
✓ 21-13	43-037-30921	14-20-603-355	SEC. 21, T41S, R24E	NW/SW 2030' FSL; 515' FWL
✓ 21-14	43-037-15753	14-20-603-355	SEC. 21, T41S, R24E	SW/SW 660' FSL; 460' FWL
✓ 21W-21	43-037-16425	14-20-603-355	SEC. 21, T41S, R24E	NE/NW 660' FNL; 2030' FWL
✓ 21-32	43-037-15755	14-20-603-355	SEC. 21, T41S, R24E	SW/NE 1880' FNL; 1980' FEL
✓ 21-33	NA	14-20-603-355	SEC. 21, T41S, R24E	2000' FSL; 1860' FEL
✓ 21-34	43-037-15756	14-20-603-355	SEC. 21, T41S, R24E	SW/SE 660' FSL; 1980' FEL
✓ 21W-41	43-037-16426	14-20-603-355	SEC. 21, T41S, R24E	660' FNL; 810' FEL
✓ 21W-43	43-037-16427	14-20-603-355	SEC. 21, T41S, R24E	NE/NE 1980' FSL; 660' FEL
✓ 24-11	43-037-15861	14-20-603-247A	SEC. 24, T41S, R24E	510' FNL; 810' FWL
✓ 24W-21	43-037-16429	14-20-603-247	SEC. 24, T41S, R24E	4695' FSL; 3300' FEL
✓ 24W-43	43-037-16430	14-20-603-247	SEC. 24, T41S, R24E	2080' FSL; 660' FEL
✓ 24-31W	43-037-15862	14-20-603-247A	SEC. 24, T41S, R24E	NW/NE 560' FNL; 1830' FEL
✓ 24-32	43-037-31593	14-20-603-247A	SEC. 24, T41S, R24E	SW/NE 2121' FNL; 1846' FEL
✓ 24-41	43-037-31132	14-20-603-247A	SEC. 24, T41S, R24E	NE/NE 660' FNL; 710' FEL
✓ 24W-42	43-037-15863	14-20-603-247A	SEC. 24, T41S, R24E	660' FSL; 1980' FNL
✓ 28-11	43-037-30446	14-20-603-409	SEC. 28, T41S, R24E	NW/NW 520' FNL; 620' FWL
✓ 28-12	43-037-15336	14-20-603-409B	SEC. 28, T41S, R24E	SW/SE/NW 2121' FNL; 623' FWL
✓ 29-11	43-037-31053	14-20-603-407	SEC. 29, T41S, R24E	NW/NW 770' FNL; 585' FWL
✓ 29W-21	43-037-16432	14-20-603-407	SEC. 29, T41S, R24E	NE/NW 667' FNL; 2122' FWL
✓ 29-22	43-037-31082	14-20-603-407	SEC. 29, T41S, R24E	SE/NW 2130' FNL; 1370' FWL
✓ 29W-23	43-037-15338	14-20-603-407	SEC. 29, T41S, R24E	NE/SW 1846' FSL; 1832' FWL
✓ 29-31	43-037-30914	14-20-603-407	SEC. 29, T41S, R24E	NW/NE 700' FNL; 2140' FEL
✓ 29-32	43-037-15339	14-20-603-407	SEC. 29, T41S, R24E	1951' FNL; 1755' FEL
✓ 29-33	43-037-30932	14-20-603-407	SEC. 29, T41S, R24E	NW/SE 1860' FSL; 1820' FEL
✓ 29-34	43-037-15340	14-20-603-407	SEC. 29, T41S, R24E	817' FSL; 2096' FEL
✓ 29W-41	43-037-16433	14-20-603-407	SEC. 29, T41S, R24E	557' FNL; 591' FEL
✓ 29W-42	43-037-30937	14-20-603-407	SEC. 29, T41S, R24E	SE/NE 1850' FNL; 660' FEL
✓ 29W-43	43-037-16434	14-20-603-407	SEC. 29, T41S, R24E	NE/SE 1980' FSL; 660' FEL
✓ 30-21W	43-037-16435	14-20-603-407	SEC. 30, T41S, R24E	660' FNL; 1920' FWL
✓ 30-32	43-037-15342	14-20-603-407	SEC. 30, T41S, R24E	SW/NE 1975' FNL; 2010' FEL
✓ 30W-41	43-037-15343	14-20-603-407	SEC. 30, T41S, R24E	NE/NE 660' FNL; 660' FEL
✓ 9-34	NA 4303715711	NA 14206034043	NA Sec. 9, T. 41S, R. 24E	NA S00SE 660' FSL 1980' FEL
✓ 12-43	43-307-31202	14-20-603-246	SEC. 12, T41S, R23E	2100' FSL; 660' FEL
✓ 12W31	43-037-15847	14-20-603-246	SEC. 12, T41S, R23E	661' FNL; 1981' FEL
✓ 13W24	43-037-15853	14-20-603-247	SEC. 13, T41S, R23E	SE/SW 660' FSL; 3300' FEL
✓ 15W23	43-037-16412	14-20-603-355	SEC. 15, T41S, R24E	2140' FSL; 1820' FWL
✓ 17-24	43-037-31044	14-20-603-353	SEC. 17, T41S, R24E	SE/SW 720' FSL; 1980' FWL
✓ 18-13	43-037-15734	14-20-603-353	SEC. 18, T41S, R24E	NW/NW 1980' FSL; 500' FWL
✓ 18W32	43-037-15736	14-20-603-353	SEC. 18, T41S, R24E	SW/NE 2140' FNL; 1830' FEL
✓ 20-68	43-037-31591	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 1276' FWL; 1615' FSL
✓ 21-23	43-037-13754	14-20-603-355	SEC. 21, T41S, R24E	NE/SW 1740' FSL 1740' FWL
✓ 28W21	43-037-16431	14-20-603-409	SEC. 29, T41S, R24E	660' FNL; 2022' FWL

PAID

PAID

PAID

PAID

# PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ **Well File** \_\_\_\_\_  
 (Location) Sec \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_  
 (API No.) \_\_\_\_\_

☐ **Suspense**  
 (Return Date) \_\_\_\_\_  
 (To - Initials) \_\_\_\_\_

☒ **Other**  
 OPER NM CHG \_\_\_\_\_

1. Date of Phone Call: 8-3-95 Time: \_\_\_\_\_

2. DOGM Employee (name) L. CORDOVA (Initiated Call ☐)  
 Talked to:

Name R. J. FIRTH (Initiated Call ☒) - Phone No. ( ) \_\_\_\_\_  
 of (Company/Organization) \_\_\_\_\_

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: \_\_\_\_\_

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING  
NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT  
THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.  
\*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).



Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

1-LEC	7-PL
2-LWP	8-SJ
3-DE	9-FILE
4-VLC	
5-RJF	
6-LWP	

Attach all documentation received by the division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

- ☐ Change of Operator (well sold)      ☐ Designation of Agent  
☐ Designation of Operator      ☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) MOBIL EXPLOR & PROD  
 (address) C/O MOBIL OIL CORP  
PO DRAWER G  
CORTEZ CO 81321  
 phone (303) 564-5212  
 account no. N7370

FROM (former operator) M E P N A  
 (address) C/O MOBIL OIL CORP  
PO DRAWER G  
CORTEZ CO 81321  
 phone (303) 564-5212  
 account no. N7370

Well(s) (attach additional page if needed):

Name: <b>** SEE ATTACHED **</b>	API: <u>037 31052</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

**OPERATOR CHANGE DOCUMENTATION**

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) \_\_\_\_\_ If yes, show company file number: \_\_\_\_\_.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- ec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- WP 6. Cardex file has been updated for each well listed above. 8-21-95
- JP 7. Well file labels have been updated for each well listed above. 9-28-95
- ec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- Leg 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

### ENTITY REVIEW

- Yes* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

### BOND VERIFICATION (Fee wells only) *\* No Fee Lease Wells at this time!*

- N/A* *Yes* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- \_\_\_ 2. A copy of this form has been placed in the new and former operators' bond files.
- \_\_\_ 3. The former operator has requested a release of liability from their bond (yes/no) \_\_\_. Today's date \_\_\_\_\_ 19\_\_\_. If yes, division response was made by letter dated \_\_\_\_\_ 19\_\_.

### LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A* 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated \_\_\_\_\_ 19\_\_, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- DTs*  
*8/5/95*
- N/A* 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

### FILMING

- ✓* 1. All attachments to this form have been microfilmed. Date: October 6 1995.

### FILING

- \_\_\_ 1. Copies of all attachments to this form have been filed in each well file.
- \_\_\_ 2. The original of this form and the original attachments have been filed in the Operator Change file.

### COMMENTS

*950803 LIC F5/Not necessary!*

**STATE OF UTAH**  
**DIVISION OF OIL, GAS AND MINING**  
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 19 of 22

## MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O MOBIL OIL CORP  
 M E P N A  
 PO DRAWER G  
 CORTEZ CO 81321

UTAH ACCOUNT NUMBER: N7370REPORT PERIOD (MONTH/YEAR): 6 / 95AMENDED REPORT ☐ (Highlight Changes)

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
RATHERFORD UNIT 20-31								
4303731050	06280	41S 24E 20	1SMY					
RATHERFORD UNIT 20-42								
4303731051	06280	41S 24E 20	DSCR					
RATHERFORD UNIT 21-11								
4303731052	06280	41S 24E 21	DSCR					
RATHERFORD UNIT 29-11								
4303731053	06280	41S 24E 29	DSCR					
RATHERFORD UNIT #18-24								
4303731079	06280	41S 24E 18	DSCR					
RATHERFORD UNIT #19-11								
4303731080	06280	41S 24E 19	DSCR					
RATHERFORD UNIT #19-44								
4303731081	06280	41S 24E 19	DSCR					
RATHERFORD UNIT #29-22								
4303731082	06280	41S 24E 29	DSCR					
RATHERFORD UNIT 12-34								
4303731126	06280	41S 23E 12	DSCR					
RATHERFORD UNIT 13-12								
4303731127	06280	41S 23E 13	DSCR					
RATHERFORD UNIT #13-21								
4303731128	06280	41S 23E 13	DSCR					
RATHERFORD UNIT #13-23								
4303731129	06280	41S 23E 13	DSCR					
RATHERFORD UNIT 13-34 (RE-ENTRY)								
4303731130	06280	41S 23E 13	DSCR					
<b>TOTALS</b>								

REMARKS:

I hereby certify that this report is true and complete to the best of my knowledge.

Date: \_\_\_\_\_

Signature: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other Instructions on reverse side**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. <b>14-20-603-355</b>
2. Name of Operator <b>Exxon Mobil Corporation</b>		6. If Indian, Allottee or Tribe Name <b>NAVAJO TRIBAL</b>
3a. Address <b>P.O. Box 4358</b> <b>Houston TX 77210-4358</b>	3b. Phone No. (include area code) <b>(713) 431-1010</b>	7. If Unit or CA/Agreement, Name and/or No. <b>Ratherford Unit</b>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>660' FNL &amp; 660' FWL</b> <b>Sec 21 T41S R24E B</b>		8. Well Name and No. <b>Ratherford Unit 21-11</b>
		9. API Well No. <b>43-037-31052</b>
		<b>GREATER ANETH</b>
		11. County or Parish, State <b>SAN JUAN UT</b>

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <b>SI Status</b>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recalman, have been completed, and the operator has determined that the site is ready for final inspection.)

ExxonMobil Oil Corporation request SI Status.

Federal Approval Of This  
Action Is Necessary

This well is in within the CO2 area and is being evaluated for possible future use.

**THIS SUNDRY IS BEING RETURNED; INSUFFICIENT DATA WAS SUBMITTED  
TO APPROVE THE REQUESTED ACTION.**

The well has been nonactive or nonproductive for 1 year 4 months. In accordance with R649-3-36, a sundry notice shall be filed indicating the reasons and length of time for the well shut-in or temporary abandonment and a demonstration of the well's integrity; evidence that the well is not a risk to public health and safety or the environment. Upon receipt of this required information, the Division will approve the request or require remedial measures to be taken to establish and maintain the wells integrity.

COPY SENT TO OPERATOR  
Date: 1-22-02  
Initials: CHD

**RECEIVED**  
JAN 10 2002  
DIVISION OF  
OIL, GAS AND MINING  
Utah Division of Oil, Gas and Mining

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) <b>Joel O. Talavera</b>	Title <b>Regulatory Specialist</b>
Signature <i>Joel Talavera</i> (6606)	Date <b>01/15/2002</b>

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attacheed. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on Reverse)

**ExxonMobil Production Company**  
U.S. West  
P.O. Box 4358  
Houston, Texas 77210-4358

June 27, 2001

**ExxonMobil**  
*Production*

Mr. Jim Thompson  
State of Utah, Division of Oil, Gas and Mining  
1549 West North Temple  
Suite 1210  
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to  
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper  
Permitting Supervisor

ExxonMobil Production Company  
a division of Exxon Mobil Corporation,  
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF  
OIL, GAS AND MINING



IN REPLY REFER TO:

## United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

XXXXXXXXXXXXXX  
Navajo Area Office  
NAVAJO REGIONP.O. Box 1060  
Gallup, New Mexico 87305-1060

AUG 30 2001

RRES/543

**CERTIFIED MAIL - RETURN RECEIPT REQUESTED**

Charlotte H. Harper, Permitting Supervisor  
Exxon Mobil Production Company  
U. S. West  
P. O. Box 4358  
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

DENNETT DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓  
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM	<i>[Signature]</i>
NATV AM MIN COORD	
SOLID MIN TEAM	
PETRO MENT TEAM <i>2</i>	
O & G INSPECT TEAM	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	

**ExxonMobil Production Company**  
U.S. West  
P.O. Box 4358  
Houston, Texas 77210-4358

6/11/2001

593


File

June 27, 2001

**ExxonMobil**  
Production

Certified Mail  
Return Receipt Requested

Ms. Genni Denetsone  
United States Department of the Interior  
Bureau of Indian Affairs, Navajo Region  
Real Estate Services  
P. O. Box 1060  
Gallup, New Mexico 87305-1060  
Mail Code 543



Change of Name -  
Mobil Oil Corporation to  
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.


If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

*Charlotte H. Harper*

Charlotte H. Harper  
Permitting Supervisor

Attachments



ExxonMobil Production Company  
a division of Exxon Mobil Corporation,  
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi.

Bureau of Indian Affairs  
Navajo Region Office  
Attn: RRES - Mineral and Mining Section  
P.O. Box 1060  
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

#### OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

#### DIRECTORS


Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>


Sincerely,



Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800, whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218



  
Signature  
AGENT AND ATTORNEY IN FACT  
Title

SAL



**CERTIFICATION**

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

**CHANGE OF COMPANY NAME**

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;


FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.


WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

  
Assistant Secretary

COUNTY OF DALLAS )  
STATE OF TEXAS )  
UNITED STATES OF AMERICA )

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

  
Notary Public



**LISTING OF LEASES OF MOBIL OIL CORPORATION****Lease Number**

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

**CHUBB GROUP OF INSURANCE COMPANIES**

One Chubb Place, Suite 1900, Houston, Texas 77027-3301  
Telephone: (713) 297-4600 • Facsimile: (713) 297-4750

*NW Bond*

**FEDERAL INSURANCE COMPANY RIDER**  
to be attached to and form a part of

**BOND NO 8027 31 97**

wherein

**Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is**  
named as Principal and

**FEDERAL INSURANCE COMPANY AS SURETY,**

**in favor of United States of America, Department of the Interior**  
**Bureau of Indian Affairs**

**in the amount of \$150,000.00**  
**bond date: 11/01/65**

**IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001**  
**the name of the Principal is changed**

**FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.**

**TO : ExxonMobil Oil Corporation**

**All other terms and conditions of this Bond are unchanged.**

**Signed, sealed and dated this 12<sup>th</sup> of June, 2001.**

**ExxonMobil Oil Corporation**

By: 

**FEDERAL INSURANCE COMPANY**

By: 

**Mary Pierson, Attorney-in-fact**

**Chubb  
Surety****POWER  
OF  
ATTORNEY****Federal Insurance Company  
Vigilant Insurance Company  
Pacific Indemnity Company****Attn.: Surety Department  
15 Mountain View Road  
Warren, NJ 07059**

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas----- R.F. Bobo,

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.  
County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said Companies in the presence of the deponent's presence.



Notary Public State of New Jersey  
No. 2231647

Commission Expires Oct. 28, 2004

Karen A. Price

Notary Public

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY  
Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT  
OF  
CERTIFICATE OF INCORPORATION  
OF  
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,  
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC  
CSC

5184334741

06/01 '01 08:47 NO.410 04/05  
06/01 '01 09:06 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

  
F. A. Risch, President

STATE OF TEXAS       )  
COUNTY OF DALLAS   )


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

  
F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]

  
NOTARY PUBLIC, STATE OF TEXAS



=&gt; CSC

.TEL=5184334741

06/01'01 08:19

CSC  
CSC

5184334741

06/01 '01 09:01 NO. 411 02/02  
06/01 '01 09:06 NO. 132 04/04

F010601000187

CSC 45

## CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 cc  
STATE OF NEW YORK  
DEPARTMENT OF STATEFiled by: EXXONMOBIL CORPORATION  
(Name)


FILED JUN 01 2001

TAX \$

5959 Las Colinas Blvd.  
(Mailing address)BY: SACIrving, TX 75039-2298  
(City, State and Zip code)

ny / Albany

Cust Ref # 165578 MPJ



010601000195

=&gt; CSC

TEL=5184334741

06/01'01 08:19

State of New York }  
Department of State } ss:

*I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.*

*Witness my hand and seal of the Department of State on* **JUN 01 2001**



*Special Deputy Secretary of State*



## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH

2. CDW✓

3. FILE

Change of Operator (Well Sold)

Designation of Agent

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective: **06-01-2001****FROM:** (Old Operator):

MOBIL EXPLORATION &amp; PRODUCTION

Address: P O BOX DRAWER "G"

CORTEZ, CO 81321

Phone: 1-(970)-564-5212

Account No. N7370

**TO:** ( New Operator):

EXXONMOBIL OIL CORPORATION

Address: U S WEST P O BOX 4358

HOUSTON, TX 77210-4358

Phone: 1-(713)-431-1010

Account No. N1855

CA No.

Unit: **RATHERFORD****WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
RATHERFORD UNIT 19-13	19-41S-24E	43-037-31719	6280	INDIAN	OW	P
RATHERFORD UNIT 19-24 (MULTI-LEG)	19-41S-24E	43-037-31754	6280	INDIAN	OW	P
RATHERFORD UNIT 20-44	20-41S-24E	43-037-30915	6280	INDIAN	OW	P
20-13	20-41S-24E	43-037-30917	6280	INDIAN	OW	P
20-24	20-41S-24E	43-037-30918	6280	INDIAN	OW	P
20-22	20-41S-24E	43-037-30930	6280	INDIAN	OW	P
RATHERFORD UNIT 20-33	20-41S-24E	43-037-30931	6280	INDIAN	OW	S
RATHERFORD UNIT 20-11	20-41S-24E	43-037-31049	6280	INDIAN	OW	S
RATHERFORD UNIT 20-31	20-41S-24E	43-037-31050	6280	INDIAN	OW	P
RATHERFORD UNIT 20-42	20-41S-24E	43-037-31051	6280	INDIAN	OW	P
RATHERFORD 20-68	20-41S-24E	43-037-31591	6280	INDIAN	OW	P
RATHERFORD 20-66	20-41S-24E	43-037-31592	6280	INDIAN	OW	P
21-23	21-41S-24E	43-037-13754	6280	INDIAN	OW	S
21-32	21-41S-24E	43-037-15755	6280	INDIAN	OW	S
21-34	21-41S-24E	43-037-15756	6280	INDIAN	OW	S
RATHERFORD UNIT 21-11	21-41S-24E	43-037-31052	6280	INDIAN	OW	S
RATHERFORD UNIT 21-24	21-41S-24E	43-037-31720	6280	INDIAN	OW	P
RATHERFORD UNIT 21-77	21-41S-24E	43-037-31758	6280	INDIAN	OW	S
RATHERFORD UNIT 28-11	28-41S-24E	43-037-30446	6280	INDIAN	OW	P
29-34	29-41S-24E	43-037-15340	6280	INDIAN	OW	P

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
5. If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 04/15/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/15/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: N/A

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: N/A

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 80273197

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS:**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires January 31, 2004

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
**14-20-603-355**

6. If Indian, Allottee or Tribe Name  
**NAVAJO TRIBAL**

7. If Unit or CA/Agreement, Name and/or No.  
**Ratherford Unit**

8. Well Name and No.  
**Ratherford Unit 21-11**

9. API Well No.  
**43-037-31052**

10. Field and Pool, or Exploratory Area  
**GREATER ANETH**

11. County or Parish, State  
**SAN JUAN UT**

**SUBMIT IN TRIPLICATE - Other Instructions on reverse side**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

**Exxon Mobil Corporation**

3a. Address **P.O. Box 4358**

**Houston**

**TX 77210-4358**

3b. Phone No. (include area code)

**(281) 654-1934**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**660 from N and 660 from W**

**Sec 21 T41S R24E**

**1/4 of NW, 1/4 of NW**

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

**SEE ATTACHED PROCEDURE.**

Accepted by the  
Utah Division of  
Oil, Gas and Mining

Date: **8/14/03**

By: **[Signature]**

Federal Approval Of This  
Action Is Necessary

COPY SENT TO OPERATOR

Date: **8-14-03**

Initials: **CHD**

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

**Cathy W. Higginbotham**

Title

**Staff Office Assistant**

Signature

**Cathy Higginbotham**

Date

**08/12/2003**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**RECEIVED**

(Instructions on Reverse)


**AUG 13 2003**

DIV. OF OIL, GAS & MINING



## **PROCEDURE**

1. MIRU WSU. Check the pressure on all casing annuli. Report annular pressure found to the ExxonMobil supervisor and discuss safe, appropriate blow down procedures. Attempt to bleed pressure to 0 psi. For pressure that will not bleed to zero review with the Workover Supervisor. Document all annular pressure activity on the Morning report.
2. MIRU WLSU. NU wireline BOP and Lubricator. Test per ExxonMobil guidelines. PU and RIH with tubing punch to top of fish @ ~ 5,487'. PUH 10' and perforate the tubing with 4spf. POOH with WLSU. Establish circulation with KWF between 2-7/8" tubing and 7" casing. Once circulation is established, RDMO WLSU. Bleed off pressure and monitor wellbore for 30 minutes to insure well is dead. ND tree and NU Class III BOP. Test per ExxonMobil guidelines. Bleed off pressure.
3. Release 7" HED G-6 production packer. POOH with 2-7/8" production tubing and BHA. Lay down production packer and damaged tubing.
4. PU and RIH with 7" CICR and production tubing. Set CICR @ 5,500'.
5. MIRU BJ Services cementing equipment. NU and test all lines to 4,000psi. Establish injection rate and pressure into perforations with fresh water. Squeeze perforations from 5,541'-5,606' with 100 sxs Class 'H' Neat cement (15.8ppg, 1.15 cu ft/sx yield). Do not exceed 3,000 psi. Latch out of CICR and spot 100', 19 sxs Class 'H' Neat cement (15.8ppg, 1.15 cu ft/sx yield) plug on top of packer. Pull up hole and reverse circulate tubing clean. RBIH to top of cement. Circulate wellbore with 9ppg mud.
6. PUH to 4500'. Lay down excess tubing. Spot 200', 38 sxs Class 'H' Neat (15.8ppg, 1.15 cu ft/sx yield) plug from 4,500'-4,300' (Hermosa Formation). PUH and reverse circulate tubing clean.
7. POOH with workstring. Stand back 1,800' of workstring and lay down remaining workstring.
8. MIRU WLSU. NU wireline BOP and Lubricator. Test per Exxonmobil guidelines. PU and RIH with 7" deep penetrating perforating gun loaded with 4spf. Perforate 7" casing from 1,720'-1,722' (8 holes). POOH with wireline and perforating equipment. Open 9-5/8" x 7" surface casing valve. Establish circulation between 9-5/8" x 7" casing annulus. Once circulation is established, RDMO WLSU.
9. PU and RIH with 7" CICR and workstring. Set CICR @ 1,670'. Open 9-5/8" x 7" surface casing valve. Pump 80 bbls fresh water spacer. Squeeze 280 sxs of Class 'H' Neat cement (15.8 ppg and 1.15 cu ft/sx yield) into perforation from 1,720-1,722'. Do not exceed 3,000 psi. When cement reached the surface casing valve, close valve. Latch out of CICR and fill remaining 7" casing from the CICR to 10' below ground level with 320 sxs Class 'H' Neat cement (15.8ppg and 1.15 cu ft/sx yield). Lay down workstring.



**Ratherford Unit 21-11**  
**GREATER ANETH AREA**  
**San Juan County, Utah**

---

**U.S. West Subsurface Engineering Group**

---

10. ND BOP stack and tubing hanger. PU and RIH with 7" mechanical cutter. Cut 7" casing 6' below ground level. PU and LD wellhead and mechanical cutter. Top fill all casing strings with cement. Flush all lines and RDMO BJ Services.
11. Weld steel cap with a 4" x 10' marker across the casing stub. Leave 4' of marker above ground level. Weld the following information on the marker.
  - a. ExxonMobil Prod. Company, U.S. West
  - b. Ratherford Unit 21-11
  - c. Navajo Tribal Lease # 14-20-603-355
  - d. GL: 4736.5'
  - e. 660' FNL & 660' FWL
  - f. Sec 21, T41S-R24E
  - g. San Juan County, Utah
12. RDMO WSU. Clean and reclaim location per regulatory requirements. Notify Cathy Higginbotham when work is complete so that a sundry notice (Form 3160-5) can be filed with the NNEPA, USEPA and BLM.
13. Mail reports within 30 days to:  
  
ExxonMobil  
Attn: Cathy Higginbotham  
CORP-MI-PO52  
P.O. Box 4358  
Houston, Texas 77210-4358



NAVAJO NATION ENVIRONMENTAL PROTECTION AGENCY  
UNDERGROUND INJECTION CONTROL PROGRAM  
SHIPROCK, NM 87420



PLUGGING AND ABANDONMENT PLAN

NAME AND ADDRESS OF FACILITY  
EXXON MOBIL - Ratherford Unit  
3 1/2 miles SE of Montezuma Creek, Utah

NAME AND ADDRESS OF OWNER/OPERATOR  
EXXON MOBIL  
P.O. Box 4358  
HOUSTON, TX 77210-4358

LOCATE WELL AND OUTLINE UNIT ON  
SECTION PLAT - 640 ACRES

STATE

Utah

COUNTY

San Juan

PERMIT NUMBER

43-037-31052

SURFACE LOCATION DESCRIPTION

1/4 of 1/4 of NW 1/4 of NW 1/4 of Section 21 Township 41S Range 24E

LOCATE WELL IN TWO DIRECTIONS FROM NEAREST LINES OF QUARTER SECTION AND DRILLING UNIT

Surface

Location 660 ft. from (N/S) N Line of quarter section  
and 660 ft. from (E/W) W Line of quarter section

TYPE OF AUTHORIZATION

- ☐ Individual Permit  
☐ Area Permit  
☒ Rule  
☐ Number of Wells

Field Name Greater Aneth  
Lease Number Ratherford Unit

WELL ACTIVITY

- ☐ Class I  
☒ Class II  
☐ Brine Disposal  
☒ Enhanced Recovery  
☐ Hydrocarbon Storage  
☐ Class III

Well Name RU Well Number 21-11

CASING AND TUBING RECORD AFTER PLUGGING

SIZE	WT (LB/FT)	TO BE PUT IN WELL (FT)	TO BE LEFT IN WELL (FT)	HOLE SIZE
13 3/8	54.5		124	17 1/2
9 5/8	36		1618	12 1/4
7"	23 + 26		5453	8 3/4

METHOD OF EMPLACEMENT OF CEMENT PLUGS

- ☐ The Balance Method  
☐ The Dump Bailer Method  
☐ The Two-Plug Method  
☐ Other

CEMENTING TO PLUG AND ABANDON DATA:

	PLUG #1	PLUG #2	PLUG #3	PLUG #4	PLUG #5	PLUG #6	PLUG #7
Size of Hole or Pipe in which Plug Will Be Placed (inches)	7	7	7	7	7		
Depth to Bottom of Tubing or Drill Pipe (foot/feet)	5502	5500	4500	1672	1670		
Sacks of Cement To Be Used (each plug)	100	19	38	280	320		
Slurry Volume To Be Pumped (cubic feet)	115	22	44	321	367		
Calculated Top of Plug (feet)	5502	5400	4300	1670	0		
Measured Top of Plug (if tagged feet)							
Slurry Wt. (Lb./Gal.)	15.8	15.8	15.8	15.8	15.8		
Type of Cement or Other Material (Class III)	H	H	H	H	H		

LIST ALL OPEN HOLE AND/OR PERFORATED INTERVALS AND INTERVALS WHERE CASING WILL BE VARIED (if any)

From	To	From	To
5541	5545	5563	5566
5554	5560	5570	5606

Estimated Cost to Plug Wells

\$70,000

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. (Section 102.2(d) of the Navajo Nation UIC Regulations)

NAME AND OFFICIAL TITLE (Please type or print)

Gary Mayfield, SS Eng. Tech

SIGNATURE

Gary Mayfield

DATE SIGNED

7/29/03

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires January 31, 2004

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other Instructions on reverse side**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

**Exxon Mobil Corporation**

3a. Address **P.O. Box 4358  
Houston TX 77210-4358**

3b. Phone No. (include area code)  
**(281) 654-1934**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**660 from N and from W**

**Sec 21 T41S R24E**

**1/4 of NW, 1/4 of NW**

5. Lease Serial No.

**14-20-603-355**

6. If Indian, Allottee or Tribe Name

**NAVAJO TRIBAL**

7. If Unit or CA/Agreement, Name and/or No.

**Ratherford Unit**

8. Well Name and No.

**Ratherford Unit 21-11**

9. API Well No.

**43-037-31052**

10. Field and Pool, or Exploratory Area

**GREATER ANETH**

11. County or Parish, State

**SAN JUAN UT**

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- |   |  |  |   |
|---|--|--|---|
| <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen                      | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat              | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction            | <input type="checkbox"/> Recomplete                | <input type="checkbox"/> Other _____    |
| <input type="checkbox"/> Change Plans         | <input checked="" type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       | _____                                   |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back                   | <input type="checkbox"/> Water Disposal            | _____                                   |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

See Attached.

RECEIVED

OCT 18 2004

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

**Cathy W. Higginbotham**

Title

**Staff Office Assistant**

Signature

*Cathy Higginbotham*

Date

**10/15/2004**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on Reverse)

## Ratherford Unit 21-11

9/20/04

MIRU, flowback 120 bbls, SION.

9/21/04

Bled well down, NDWH, NU BOP. POOH LD 164 jts, tbg parted. PU Bit and scraper w/ 55 jts WS. Called BLM for an approval to set CICR above parted tbg, at ~5100', left message w/ Steve Mason. SION.

9/22/04

Bled well down, PU RIH w/ 112 jts tagged top of fish at 5196'. POOH LD Bit and scraper. PU RIH w/ CICR set at 5180', test tbg to 2500#, test good, sting out, circ 200 bbls, test casing at 500#, test good, SION.

9/23/04

Flow well back, MIRU BJ Service. Waiting on BLM, called Steve Mason to procede without witness. Pump 1/4 bbl and pressured up to 2200#, bled off, sting out of CICR, pump down tbg, tbg plugged up. RD BJ Service. POOH with tubing, found plug in 152 jt, check stinger, no plug. RIH with tubing. SION.

9/24/04

Sting in CICR, Pump 5 bbls at 1.3 BMP, start cement, pump 7 bbls, Sting out continue to pump pump 10 bbls total cement, displace with 22 bbls, sting back in CICR pump 2 bbls, 15.8 # class H, 1.15 yield, **10 sx, cement below CICR**, pressure 2250#, bled down to 1500# on tbg, pressure casing to 1000#, sting out CICR, spot 8 bbls **on top CICR 38 sx** class H, 15.8#, 1.15 yield. POOH LD 18 jts, spot balance plug from 4416 to 4408', pump 8.8 bbls, **39 sx**, class H, 15.8#, 1.15 yield. POOH, WO CMT 4 hrs, MIRU WL, RIH tagged cement at 3467', called Steve Mason w/ BLM and received his approval to continue with cementing. Perf at 1720'. PU RIH set CICR at 1641'. Pumped 78 bbls **380 sx**, 15.8#, 1.15 yield class H, cmt to surface, sting out pump 32 bbls, **156 sx** class H, 15.8 #, 1.15 yield inside 7" csg. POOH LD 27 jts, pump 30 bbls, **146 sx**, 15.8#, 1.15 yield to surface, POOH LD 25 jts, pump 2 bbls, **10 sx**, 15.8#, 1.15 yield cmt. POOH last jt. wash pump and equipment. SISD.

9/27/04

NDBOP, PU inside casing cutter, tag cmt 6' below surface, unable to cut, cutter was at slips area. POOH LD cutter, clean location, RDMO.



Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

**X Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective: **6/1/2006**

**FROM: (Old Operator):**  
 N1855-ExxonMobil Oil Corporation  
 PO Box 4358  
 Houston, TX 77210-4358  
 Phone: 1 (281) 654-1936

**TO: ( New Operator):**  
 N2700-Resolute Natural Resources Company  
 1675 Broadway, Suite 1950  
 Denver, CO 80202  
 Phone: 1 (303) 534-4600

**CA No.**

**Unit:**

**RATHERFORD**

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on: \_\_\_\_\_
- (R649-9-2) Waste Management Plan has been received on: requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
- Federal and Indian Units:**  
 The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**  
 The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/22/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: 6/22/2006
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: n/a
- Indian well(s) covered by Bond Number: PA002769
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a  
 The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

See attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Navajo Tribe

7. UNIT or CA AGREEMENT NAME:

Ratherford Unit

8. WELL NAME and NUMBER:

See attached list

9. API NUMBER:

Attached

10. FIELD AND POOL, OR WILDCAT:

Greater Aneth

1. TYPE OF WELL

OIL WELL ☐

GAS WELL ☐

OTHER Unit Agreement

2. NAME OF OPERATOR:

Resolute Natural Resources Company

N2700

3. ADDRESS OF OPERATOR:

1675 Broadway, Suite 1950

CITY

Denver

STATE

CO

ZIP

80202

PHONE NUMBER:

(303) 534-4600

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached list

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ NOTICE OF INTENT  
(Submit in Duplicate)

Approximate date work will start:

☒ SUBSEQUENT REPORT  
(Submit Original Form Only)

Date of work completion:

TYPE OF ACTION

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☒ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☐ OTHER: \_\_\_\_\_

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT)

Dwight E Mallory

TITLE

Regulatory Coordinator

SIGNATURE

DATE

4/20/2006

(This space for State use only)

APPROVED 6127106

Earlene Russell

Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:  6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <i>N1855</i>		7. UNIT or CA AGREEMENT NAME: UTU68931A
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4358		8. WELL NAME and NUMBER: Ratherford
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____  QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER: attached
		10. FIELD AND POOL, OR WILDCAT: Aneth
		COUNTY: San Juan
		STATE: UTAH

**11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of producers and water source wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <i>Laurie B. Kilbride</i>	DATE <u>4/19/2006</u>

(This space for State use only)

**APPROVED** 6/27/06  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

**RECEIVED**  
**APR 21 2006**

DIV. OF OIL, GAS & MINING

# Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	01-14	430373116200S1	Producing	1420603246A	1	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	41S	23E	SWSE	1133FSL	1980FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11	41S	23E	NENE	0860FNL	0350FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11	41S	23E	NESE	1980FSL	0660FEL
Ratherford	12-12	430373119000S1	Producing	1420603246A	12	41S	23E	SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12	41S	23E	SWSW	0660FSL	4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12	41S	23E	NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12	41S	23E	NESW	1958FSL	3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12	41S	23E	SWNE	1820FNL	1820FEL
Ratherford	12-34	430373112600S1	Producing	1420603246A	12	41S	23E	SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	41S	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	41S	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	41S	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14	41S	23E	SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	41S	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24	41S	23E	SWNE	2121FNL	1846FEL
Ratherford	24-41	430373113200S1	Producing	1420603247A	24	41S	23E	NENE	0660FNL	0710FEL
Ratherford	17-11	430373116900S1	Producing	1420603353	17	41S	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17	41S	24E	NWSW	2100FSL	0660FWL
Ratherford	17-22	430373117001S1	Producing	1420603353	17	41S	24E	SENE	1882FNL	1910FWL
Ratherford	17-24	430373104400S1	Producing	1420603353	17	41S	24E	SESW	0720FSL	1980FWL
Ratherford	17-31	430373117800S1	Producing	1420603353	17	41S	24E	NWNE	0500FNL	1980FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	41S	24E	NWSE	1980FSL	1845FEL
Ratherford	17-42	430373117700S1	Producing	1420603353	17	41S	24E	SENE	1980FNL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	17	41S	24E	SESE	0660FSL	0660FEL
Ratherford	18-11	430371573300S1	SI	1420603353	18	41S	24E	NWNW	0720FNL	0730FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18	41S	24E	NWSW	1980FSL	0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18	41S	24E	SENE	2200FNL	2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18	41S	24E	SESW	0760FSL	1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18	41S	24E	NWNE	0795FNL	2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18	41S	24E	NWSE	1870FSL	1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18	41S	24E	SENE	2120FNL	0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19	41S	24E	NWNW	0660FNL	0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19	41S	24E	NWSW	1980FSL	0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19	41S	24E	SENE	1840FNL	1980FWL
Ratherford	19-24	430373175401S1	Producing	1420603353	19	41S	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	41S	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	41S	24E	NWSE	1980FSL	1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	41S	24E	SENE	1880FNL	0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19	41S	24E	SESE	0660FSL	0660FEL
Ratherford	19-97	430373159600S1	Producing	1420603353	19	41S	24E	SENE	2562FNL	0030FEL
Ratherford	20-11	430373104900S1	Producing	1420603353	20	41S	24E	NWNW	0500FNL	0660FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20	41S	24E	NWSW	2140FSL	0500FWL
Ratherford	20-22	430373093000S1	Producing	1420603353	20	41S	24E	SENE	2020FNL	2090FWL
Ratherford	20-24	430373091800S1	Producing	1420603353	20	41S	24E	SESW	0820FSL	1820FWL

# Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S	24E	NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S	24E	NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	41S	24E	SENE	1980FNL	0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	41S	24E	SESE	0620FSL	0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	41S	24E	SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	41S	24E	NWSW	1615FSL	1276FWL
Ratherford	15-12	430371571501S1	Producing	1420603355	15	41S	24E	SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15	41S	24E	SENE	1980FNL	2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	41S	24E	NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S	24E	NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	41S	24E	SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	41S	24E	NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	41S	24E	NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	41S	24E	NESW	2587FSL	2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	41S	24E	NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21	41S	24E	SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	41S	24E	SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	41S	24E	NWSE	2511FSL	2446FEL
Ratherford	07-11	430373116300S1	Producing	1420603368	7	41S	24E	NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	41S	24E	NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	41S	24E	SENE	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7	41S	24E	SESW	0880FSL	2414FWL
Ratherford	07-44	430373118900S1	SI	1420603368	7	41S	24E	SESE	0737FSL	0555FEL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	41S	24E	SWNW	1909FNL	0520FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	41S	24E	NENW	0616FNL	1911FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	41S	24E	NESW	1920FSL	2055FWL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	41S	24E	SWNE	1980FNL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	11-14	430371616700S1	Producing	14206034037	11	41S	24E	SWSW	0660FSL	0660FWL
Ratherford	09-34	430371571100S1	SI	14206034043	9	41S	24E	SWSE	0660FSL	1980FEL
Ratherford	10-12	430371571200S1	Producing	14206034043	10	41S	24E	SWNW	1980FNL	0660FWL
Ratherford	10-14	430371571300S1	Producing	14206034043	10	41S	24E	SWSW	0510FSL	0710FWL
Ratherford	10-32	430371571400S1	TA	14206034043	10	41S	24E	SWNE	2080FNL	1910FEL
Ratherford	10-44	430373045100S1	TA	14206034043	10	41S	24E	SESE	0820FSL	0510FEL
Ratherford	29-11	430373105300S1	Producing	1420603407	29	41S	24E	NWNW	0770FNL	0585FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29	41S	24E	SENE	2130FNL	1370FWL
Ratherford	29-31	430373091401S1	Producing	1420603407	29	41S	24E	NWNE	0700FNL	2140FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29	41S	24E	NWSE	1860FSL	1820FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29	41S	24E	SWSE	0817FSL	2096FEL
Ratherford	29-42	430373093700S1	SI	1420603407	29	41S	24E	SENE	1850FNL	0660FEL
Ratherford	30-32	430371534200S1	Producing	1420603407	30	41S	24E	SWNE	1975FNL	2010FEL
Ratherford	28-11	430373044600S1	Producing	1420603409	28	41S	24E	NWNW	0520FNL	0620FWL

# Ratherford Unit - Producer Well List

minus P&A's

Lease	Number	API #	Status	Lease #	Location					
					Sec	T	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	41S	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	41S	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	41S	24E	SWNW	2140FNL	0660FWL

## Water Source Wells (Feb 2006)

RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active